



	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
AEG®											
KES35, KS30, KS35, KS40	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXEAO41	120SDEA041*▲
	35	14						52E	140SPEA041*	140SXEAO41	140SDEA041*▲
	40	16						57E	160SPEA041*	160SXEAO41	160SDEA041*
KES36	33	13	.325	0.063	1,6	22BPX/LPX	7	56E	133SLBD025		
	38	15						62E	153SLGD025	153SFGD025	153RNBD025
	40	16						67E	163SLGD025	163SFGD025	163RNBD025 163ATMD025
	45	18						74E	183SLGD025	183SFGD025	183RNBD025 183ATMD025
	50	20						81E	203SLGD025		203ATMD025
	33	13	3/8	0.063	1,6	75LGX/LPX/D/DP	7	52E			
	38	15						56E	153SLHD025	153SFHD025	153RNDD025
	40	16						60E	163SLHD025	163SFHD025	163RNDD025 163ATMD025
	45	18						66E	183SLHD025	183SFHD025	183RNDD025 183ATMD025
	50	20						72E	203SLHD025	203SFHD025	203RNDD025 203ATMD025
ALKO											
E1200, 1400E, 1500E, 2000, 2300, E125, 25A, KS, KSB, KE4000, KE3500 VARIO	30	12	91	0.050	1,3	91VG/91VX/91P	7	45E	120SPEA041*	120SXEAO41	120SDEA041*▲
	35	14						52E	140SPEA041*	140SXEAO41	140SDEA041*▲
	40	16						57E	160SPEA041*	160SXEAO41	160SDEA041*
KB3500, KB4000, KB4500, BKS38-35	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E			120SDEA218*
	35	14						49E	140SPEA218*		140SDEA218*
	35	14						50E			
	40	16						55E	160SPEA218*		160SDEA218*
140	30	12	.325	0.050	1,3	20BPX/LPX	7	55E			
	35	14						61E			
240	35	14	.325	0.050	1,3	20BPX/LPX	7	57E			
KB5000	40	16	.325	0.050	1,3	20BPX/LPX	7	65E	160SLGZ095		
	40	16						66E	160SLGK095	160RNBD095	
	45	18						72E	180SLGK095		
1074, P21, P26, P28	35	14	.325	0.058	1,5	21BPX/LPX	7	60E			
	40	16						69E			
3400	40	16	3/8	0.050	1,3	72LGX/LPX/D/DP	7	59E			
	40	16						60E	160SLHD176		
	45	18						64E	180SLHD176		
	45	18						66E			
	50	20						69E			
	50	20						70E	200SLHD176	200RNDD176	
251, 261, 460, 480	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E			
	45	18						64E	188SLHD176		
	50	20						72E		8873D	
FARMERSAW 170	45	18	3/8	0.058	1,5	73LGX/LPX/D/DP	7	66E			
	38	15	3/8	0.063	1,6	75LGX/LPX/D/DP	7	56E			
	45	18						64E			
	50	20						70E			
KE 40	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E			120SDEA089
	35	14						50E			140SDEA089
	40	16						56E			160SDEA089
ALPINA®											
330, 380, Euro-35, Euro-40, 432, 438, Euro 45, P 34, PR350	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E			
	35	14						50E			140SDEA016
	40	16						56E			160SDEA016
	45	18						60E			



OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



www.oregonchain.eu

T* = INTENZ

A - 70



	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
ALPINA® ./..											
ELECTRIC, E120, E130, ES182, ES202, E150, KS1400B, KS 1500B, A-10E, A-14E, 352, 382	30	12	91	0.050	1,3	91VG/91VX/91P	7	44E	120SPEA041*	120SXEA041	120SDEA041*▲
	35	14						52E	140SPEA041*	140SXEA041	140SDEA041*▲
	40	16						57E	160SPEA041*	160SXEA041	160SDEA041*
Elettra 160, Elettra 170, 270, 280, Energy 1.6, Energy 1.8, Sinergy 35, Sinergy 40	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E	120SPEA074	120SXEA074	120SDEA074*▲
	35	14						50E	140SPEA074*	140SXEA074	140SDEA074*▲
	40	16						55E	160SPEA074*	160SXEA074	160SDEA074*▲
	40	16						56E			160SDEZ074▲
P360, P370, P390, P391Q, P361	30	12	91	0.050	1,3	91VG/91VX/91P	7	44E			
	35	14						50E	140SPEA074*	140SXEA074	140SDEA074*▲
	40	16						56E	160SPEA074*	160SXEA074	160SDEA074*▲
P370, P410, 402, 422, 442 	33	13	95	0.050	1,3	95VPX	7	56E			130MLBS165
	40	16						64E			160MLBS165
P470, 480, 462, 472, 482	40	16	95	0.050	1,3	95VPX	7	66E			160MLBK095
	45	18		0.050	1,3			72E			180MLBK095
PROF-41, PROF-45, P500, A40, A40E, PROF41, PROF45, P400, P450, P500, P460, P510, PRO540, PRO600	30	12	.325	0.050	1,3	20BPX/LPX	7	55E			
	35	14						61E			
	40	16						65E	160SLGZ095		
	45	18						72E	180SLGK095	180RNBK095	
PROF-41, PROF-45, P500, A40, A40E, PROF41, PROF45, P400, P450, P500, P460, P510, PRO540, PRO600, P522	33	13	.325	0.058	1,5	21BPX/LPX	7	56E	138SLBK095	138PXBK095	
	35	14						61E			
	40	16						66E	168SLBK095		
	45	18						72E	188SLBK095	188RNBK095	
	50	20						78E	208SLBK095		
	30	12	.325	0.050	1,3	20BPX/LPX	7	55E			
PROF-41, PROF-45, P500, A40, A40E, PROF41, PROF45, P400, P450, P500, P460, P510, PRO540, PRO600	33	13	.325	0.058	1,5	21BPX/LPX	7	56E	138SLBK095	138PXBK095	
	35	14						61E			
	40	16						66E	168SLBK095		
	45	18						72E	188SLBK095	188RNBK095	
PRO55, PRO56, PROF-65, PROF-66, 600, 600i, P650	50	20						78E			
	40	16	3/8	0.050	1,3	72LGX/LPX/D/DP	7	59E			
	45	18						68E		180RNDK095	
	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	59E			
	45	18						64E			
PROF-700, PROF-800, P.700, P.750, P.800, P660, P680	45	18	3/8	0.058	1,5	73LGX/LPX/D/DP	7	68E	188SLHD009	188SFHD009	188RND009
	50	20						72E	208SLHD009	208SFHD009	208RND009
	55	22	3/8	0.063	1,6	75LGX/LPX/D/DP		75E			223ATMD009
	60	24						84E			243ATMD009
0-70, 0-70 TENDIMATIC, 0-70 SPECIAL, PROF-70	60	24	.404	0.063	1,6	59L/59AC/27/27P		76E			243ATMD009
	38	15	3/8	0.063	1,6	75LGX/LPX/D/DP	7	55E			
	45	18						65E		183RND029	
0-90, PROF-90, PROF-120	50	20						69E			
	53	21	.404	0.063	1,6	59L/59AC/27/27P	7	71E			
	63	25						82E			
	75	30						94E			
	92	36						107E			

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.





	cm	"	"	mm		SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
BELL										
PICKPINE 16, 34, 38	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E		120SDEA218*
	35	14						49E	140SPEA218*	140SDEA218*
	40	16						55E	160SPEA218*	160SDEA218*
BERNARD										
BM225.3, BM230.0,	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SDEA041*
BM230.1, BM236.3,	35	14						52E	140SPEA041*	140SDEA041*
BM441.3, BM441.5	40	16						57E	160SPEA041*	160SDEA041*
BM646.3, BM651.3,	40	16	3/8	0.050	1,3	72LGX/LPX/D/DP	7	60E	160SLHD176	160RNDD176
BM751.3	45	18						66E	180RNDD176	
	50	20						70E	200RNDD176	
BLACK&DECKER®										
Alligator LP 1000	15	6	1/4	0.050	1,3	25AP	9	40E		
	25	10					9	42E		
PP2018, CSC818, LH1600, GKC1817	20	8	90	0.042	1,1	90SG	5	34E		
	40	16	91	0.05	1,3	91VG/91VX/91P	6	56E		
CS30, CS35, DN400, DN401,	25	10	91	0.050	1,3	91VG/91VX/91P	6	39E		100SDEA218
DN402, DN404, DN412,	30	12						44E		120SDEA218*
DN416, GK425, GK330, GK310, GK1935,	35	14						49E		140SDEA218*
GK320, GK321, GK322, GK35,	40	16						56E		160SDEA218*
GK330, GK430, GK435, GK440,										
GK535, GK540, GK1440,										
GK1630, GK1635, GK1640, GK1940										
DN301, DN302,	25	10	91	0.050	1,3	91VG/91VX/91P	6	39E		
	30	12						45E		
BLITZ										
B300, B304, B34,	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E		
B35D, B38, B400,	35	14						49E		140SDEA111
B404, E140F	40	16						56E		160SDEA129
B42, B45A, B54A,	28	11	.325	0.058	1,5	21BPX/LPX	7	52E	118SLBK095	
B46, B51	33	13						56E	138SLBK095	138RNBK095
	35	14						60E		
	38	15						64E	158SLGK095	158RNBK095
	38	15						64E	158SLBK095	158PXBK095
	40	16						66E	168SLGK095	168PXBK095
	45	18						68E	34372	
	45	18						72E	188SLGK095	188PXBK095
	50	20						78E	208SLGK095	208RNBK095
B50, B500, B501S,	38	15	3/8	0.058	1,5	73LGX/LPX/D/DP	7	56E		
B502, B504, B52, B55,	40	16						60E	168SLHD024	168SFHD024
B60, B600, B64, B701,	45	18						68E	188SLHD024	188SFHD024
B702, B80, B800,	50	20						72E	208SLHD024	208SFHD024
B802, B804	58	23						80E		208RNDD024
	40	16	.404	0.058	1,5	58L/26	7	55E		188ATMD024
	40	16						62E		208ATMD024
	50	20						66E		
	58	23						73E		
B100, B100F	53	21	.404	0.063	1,6	59L/59AC/27/27P	7	68E		213RNFE031
	63	25						80E		213ATME031
BOSCH										
AKE30/175, AKE35/175, AKE30-185, AKE40S,	30	12	90	0.042	1,1	90SG	7	45E		124MLEA041



OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



www.oregonchain.eu

T* = INTENZ

A - 72



	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
BOSCH ./..											
AKE 40/17s, AKE35, AKE30S, AKE36S,	35	14					52E				144MLEA041
AKE30-19S, 35-19S, 40-19S, AKE40-19S,	40	16					57E				164MLEA041
40-19PRO, AKE-35-18S											
1586.7, 1586.8, AKE30B, AKE30LI	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXEA041	120SDEA041*
AKE35B, AKE40B, GKE35BC,	35	14						52E	140SPEA041*	140SXEA041	140SDEA041*
GKE40BC, PKE25, PKE30B,	40	16						57E	160SPEA041*	160SXEA041	160SDEA041*
PKE35B, PKE40, AKE35-19PRO, 40-19PRO											
BULLCRAFT											
BES1300B, KS400S,	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E			120SDEA218*
KS40S, KSE1300B,	35	14						49E		140SPEA218*	140SDEA218*
KSE30,	40	16						55E		160SPEA218*	160SDEA218*
KS450	40	16	.325	0.050	1,3	20BPX/LPX	7	65E	160SLGZ095		
	40	16						66E	160SLGK095	160RNBK095	
	45	18						72E	180SLGK095		
CAMPAGNOLA											
	25	8	1/4	0.050	1,3	25AP	9	48E			080SDAA108
	25	8	91	0.050	1,3	91VG/91VX/91P	6	40E			34099
CASTEL											
CS35P,	30	12	91	0.050	1,3	91VGX/91VX	6	44E			
	35	14						50E			140SDEA016
CS16E, CS17E	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E			
	35	14						50E			
	40	16						55E			
CS36, CS39	30	12	91	0.050	1,3	91VG/91VX/91P	7	44E			
	35	14						50E			
	40	16						56E			
CS45, CS50	33	13	.325	0.058	1,5	21BPX/LPX	7	56E	138SLBK095	138PXBK095	
	35	14						61E			
	40	16						66E	168SLBK095		
	45	18						72E	188SLBK095	188RNBK095	
	50	20						78E			
CS60	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	59E			
	45	18						64E			
	45	18						68E	39450	188RNDK095	188ATMK095
	50	20						72E	208SLHK095	208RNDK095	208ATMK095
CASTOR®											
TR350,	30	12	90	0.043	1,1	90SG	6	44E			
330, CX 35, 380, CX40,	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E			
423, 438, CX 45, P34,	35	14						50E			140SDEA016
P-34S, CP-34S, TR350	40	16						56E			160SDEA016
ELETTRA 160, ELETTRA170,	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E			
High-Tech 1.6, High-Tech 1.8, ES180,	35	14						50E			
Hi-TEC 2, 0Q	40	16						55E			
	40	16						56E			
CP360, CP370, CP380, CP361, CP391	30	12	91	0.050	1,3	91VG/91VX/91P	7	44E			
	35	14						50E			
	40	16						56E			
	45	18						60E			
CP370	33	13	95	0.050	1,3	95VPX	7	56E			130MLBS165
	40	16						64E			160MLBS165

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.

A - 73

T* = INTENZ



www.oregonchain.eu





	cm	"	"	mm		SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
CASTOR® J..										
	30	12	91	0.050	1,3	91VG/91VX/91P	7	44E		
	35	14						50E		
	40	16						56E		
	45	18						60E		
CP410	33	13	95	0.050	1,3	95VPX	7	56E		130MLBS165
	40	16						64E		160MLBS165
C40, C40E, CP41, CP45	30	12	.325	0.050	1,3	20BPX/LPX	7	55E		
	35	14						61E		
	40	16						65E	160SLGZ095	
	45	18						72E	180SLGK095	
	33	13	.325	0.058	1,5	21BPX/LPX	7	56E	138SLBK095	138PXBK095
	35	14						61E		
	40	16						66E	168SLBK095	
	45	18						72E	188SLBK095	188RNBK095
	50	20						78E		
CP400, CP450, CP500, CP460, CP510, CP540, CP540i, CP550	33	13	.325	0.058	1,5	21BPX/LPX	7	56E	138SLBK095	138PXBK095
	35	14						61E		
	40	16						66E	168SLBK095	
	45	18						72E	188SLBK095	188RNBK095
	50	20						78E		
CP-55, CP-56, CP-65, CP-66, CP600, CP600I, CP650	30	40	3/8	0.050	1,3	72LGX/LPX/D/DP	7	59E		
	35	19						68E		180RNDK095
	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	59E		
	45	18						64E		
	45	18						68E	39450	188RNDK095
	50	20						68E		188ATMK095
	50	20						72E	208SLHK095	208RNDK095
										208ATMK095
CP-700, CP-800, CP750	45	18	3/8	0.058	1,5	73LGX/LPX/D/DP	7	68E	188SLHD009	188SFHD009
	50	20						72E	208SLHD009	208SFHD009
										208RNDK095
	55	22	3/8	0.063	1,6	75LGX/LPX/D/DP		75E		223ATMD009
	60	24						84E		243ATMD009
	60	24	.404	0.063	1,6	59L/59AC/27/27P		76E		243ATMD009
C-70, C-70 TENDIMATIC, C-70 SPECIAL, CP-700	38	15	3/8	0.063	1,6	75LGX/LPX/D/DP	7	55E		
	45	18						65E		183RNDK029
	50	20						69E		
C-90, CP-90, CP-120	53	21	.404	0.063	1,6	59L/59AC/27/27P	7	71E		
	63	25						82E		
	75	30						94E		
	92	36						107E		
CRAFTSMAN®										
36, 38, 1636, 1842	40	16	91	0.050	1,3	91VG/91VX/91P	6	56E		160SDET041
	45	18						62E		180SDET041
46, 205	50	20	.325	0.050	1,3	20BPX/LPX	7	78E		
DANARM										
1-36MARKII, 1-36MARKIII, 1-36MARKIV	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E		120SDEA064
	35	14						52E		140SDEA064
	40	16						56E	160SPEA064	160SDEA064
CUB CADET®										
CS3916	35	14	91	0.050	1,3	91VG/91VX/91P	6	52E	140SPEA041	140SXEA041
	40	16						57E	160SPEA041	160SXEA041
										140SDEA041▲
										160SDEA041



OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



www.oregonchain.eu

T* = INTENZ

A - 74



	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
CUB CADET® ./..											
	45	18					62E				180SDEA041
CC1936, CC2740	35	14	91	0.050	1,3	91VG/91VX/91P	6	52E	140SPEA095		140SDEA095▲
	40	16						56E	160SPEA095		160SDEA095▲
CC3045, CC3352, CC3651, CC4051, CS5018, CS5220	38	15	.325	0.058	1,5	21BPX/LPX	7	64E	158SLGK095	158RNBK095	
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
CC4256, CS5720	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E	168SLHK095		168RNDK095
	45	18						68E	188SLHK095		188RNDK095
	50	20						72E		208RNDK095	
DOLMAR®											
AS-1212, PS221, PS-34, PS-3, PS221, PS222	12	5	1/4	0.050	1,3	25AP	6	42E			
	25	10		0.050	1,3	25AP		60E			
ES-31, ES-36, ES40, ES32, ES37, ES4, ES5, PS221, PS222, ES41, ES32	30	12	90	0.043	1,1	90SG	6	45E			124MLEA041
	30	12						46E			124MLEZ041*
ES-38A	35	14						52E			144MLEA041*
ES-42A	40	16						56E			164MLEZ041
ES-152A, ES-162A, ES172A, PS-34, PS3410, PS350,	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXEA041	120SDEA041*▲
	30	12						46E			120SDEZ041*
PS-3300TH, PS-330, PS-340, PS34, PS45, PS3410	35	14						52E	140SPEA041*	140SXEA041	140SDEA041*▲
PS41, PS-341, PS-344, PS-400, ES41, PS390, ES40, ES6, PS-401, PS-33, 100, 102, 103, 105, 108, ES37, CS2040, 101, 104, 106, ES152, ES2035, ES162, ES172, ES151, ES140, 275, ES30, ES3, ES160, 285, ES161, ES2040, ES2035, ES153, ES183, ES173, ES163	40	16						56E			160SDEZ041*▲
	40	16						57E	160SPEA041*	160SXEA041	160SDEA041*
PS-410, PS-411, PS420	33	13	95	0.050	1,5	95VPX	7	56E			130MLBK041
	38	15						64E			150MLBK041
	45	18						72E			180MLBK041
111, 115i, PS5000, PS4600, 110, 109, PS510, PS540, PS5100S, PS500, PS460	33	13	95	0.050	1,3	95VPX	7	56E	130MPBK095	130MLBK095	
	38	15						64E	150MPBK095	150MLBK095	
	45	18						72E	180MPBK095	180MLBK095	
PS-4605	28	11	.325	0.058	1,5	21BPX/LPX	7	52E	118SLBK095		
	33	13						56E	138SLBK095	138PXBK095	138RNBK095
	35	14						60E			
	38	15						64E	158SLGK095		158RNBK095
	38	15						64E	158SLBK095	158PXBK095	158RNBK095
	40	16						66E	168SLBK095		
	40	16						66E	168SLGK095	168PXBK095	
	40	16						68E	34372		
	45	18						72E	188SLBK095		
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
	50	20						78E	208SLGK095		208RNBK095
109, PS-43, 112, 111, PS-52, 117, 115, PS5000, PS5105, PS4600	38	15	3/8	0.058	1,5	73LGX/LPX/D/DP	7	56E	158SLHK153		
	43	17						64E		178RNB083	178ATMB083
	45	18						64E	188SLHK153		
	50	20						72E	208SLHK153		208RNB083
	53	21						72E			
112, 113, 114, 116, ES-1800	28	11	.325	0.058	1,5	21BPX/LPX	7	52E	118SLBK095		
	33	13						56E	138SLBK095	138PXBK095	138RNBK095

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.

A - 75

T* = INTENZ



www.oregonchain.eu





	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
DOLMAR® ./..											
	35	14					60E				
	38	15					64E	158SLGK095		158RNBK095	
	38	15					64E	158SLBK095	158PXBK095	158RNBK095	
	40	16					66E	168SLBK095			
	40	16					66	168SLGK095	168PXBK095		
	40	16					68E	34372			
	45	18					72E	188SLBK095			
	45	18					72E	188SLGK095	188PXBK095	188RNBK095	
	50	20					78E	208SLGK095		208RNBK095	
117, 119, 120, 219, PS-6000i, PS6000iH, PS6800i, PS6800iH, 120Si, 1231	38	15	3/8	0.058	1,5	73LGX/LPX/D/DP	7	56E	158SLHK153		
	43	17						64E		178RNB083	178ATMB083
	45	18						64E	188SLHK153		
	50	20						72E	208SLHK153	208RNB083	
	53	21						72E			
122, 123, 133, 143, CA, KMS4, PS9000, PS9010, 153, 152, 144, 186	43	17	3/8	0.058	1,5	73LGX/LPX/D/DP	8	64E			
	50	20						72E		208RND033	208ATMD033
	58	23						80E			
	74	29						96E			
PS-6400, PS-7300, PS-7900, PS9000, PS9010	38	15	3/8	0.058	1,5	73LGX/LPX/D/DP	7	56E	158SLHD009	158SFHD009	
	38	16						60E	168SLHD009	168SFHD009	
	45	18						68E	188SLHD009	188SFHD009	188ATMD009
	50	20						72E	208SLHD009	208SFHD009	208ATMD009
	60	24						84E			248ATMD009
	70	28						92E			288ATMD009
144, 153, 166PD, CA CC, CT, DD217, 133	43	17	.404	0.063	1,6	59L/59AC/27/27P	7	61E			173ATMD033
	53	21						70E			
DRUSZBA											
All Models	50	20	.404	0.063	1,6	59L/59AC/27/27P	7	64E	203SLFM015	203RNF015	
DYNAMAC											
DY 15E	30	12	90		1,1	90SG	6	45E			
DY 36	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXA041	120SDEA041*▲
	35	14						52E	140SPEA041*	140SXA041	140SDEA041*▲
	40	16						56E	160SPEA041*	160SXA041	160SDEA041*▲
30F, 35F, E140F, DY 17E, DY36	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E			
	35	14						49E			140SDEA111
	40	16						56E			160SDEA129
DY 41	33	13	95	0.050	1,3	95VPX	7	56E	130MPBK095	130MLBK095	
	38	15						64E	150MPBK095	150MLBK095	
	40	16						66E	160MPBK095	160MLBK095	
	45	18						72E	180MPBK095	180MLBK095	
45	28	11	.325	0.058	1,5	21BPX/LPX	7	52E	118SLBK095		
	33	13						56E	138SLBK095	138PXBK095	138RNBK095
	35	14						60E			
	38	15						64E	158SLGK095		158RNBK095
	40	16						66E	168SLGK095	168PXBK095	168RNBK095
	40	16						68E	34372		
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
	50	20						78E	208SLGK095		208RNBK095
DY 56, DY 62	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E	168SLHK095		168ATMK095
	45	18						68E	39450	188RNDK095	188ATMK095



OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



www.oregonchain.eu

T* = INTENZ

A - 76



	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
DYNAMAC J..											
	50	20					72E	208SLHK095		208RNDK095	208ATMK095
	55	22					77E				
55DELUXE	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E	168SLHD024	168SFHD024	
	45	18						68E	188SLHD024	188SFHD024	188ATMD024
	50	20						72E	208SLHD024	208SFHD024	208RND024
											208ATMD024
ECHO®											
CS-280E, CS-304VL, CS-351VL, CS-302, 341, 346, 3000, 3400, 3450, CS-280EG, CS-280EVL	25	10	1/4	0.050	1,3	25AP	9	56E			
	30	12						66E			120SDAA041
	35	14						76E			140SDAA041
CS-285EVL, CS-290EVL, CS-300EVL, CS-280E, CS-301, CS305, CS341, CS346, CS-302, CS-315, ECS150, ECS1850FT, CS-320EVL, CS-328, CS-340, CS-345, CS351, CS-330EVL, CS-360EVL, CS370, E155, CS-2800, CS-2900, S2000, CS3000, CS3050, CCS3400, CS3450, CS4400, ECS150, ECS1850FT, S2600, CS3000, CS3400, C2700, CS3050, CS3500, CS350	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXEA041	120SDEA041*▲
	30	12						47E			
	35	14						52E	140SPEA041*	140SXEA041	140SDEA041*▲
	35	14						53E			
	40	16						57E	160SPEA041*	160SXEA041	160SDEA041*
CS-3600, CS-3900, CS400, CS520 CS-4000, CS-4400, CS4500, CS5000 CS-4500, CS-400EVL, CS-440EVL, CS-440EVLH, CS3700, CS4200, CS510, CS4100	33	13	.325	0.050	1,3	20BPX/LPX	7	56E			
	35	14						61E	160SLGK041	160RNBK041	
	38	15						64E	180SLGK041	180RNBK041	
	40	16						66E			
	45	18						72E	188SLGD176		
CS-5000, CS-5500, CS-5501, CS-6700,	40	16	.325	0.058	1,5	21BPX/LPX	7	67E	138SLBK041	138PXBK041	
	45	18						72E			
CS-3600, CS-360EVL, CS-4000, CS-400EVL, CS-4010, CS-440EVL, CS-4500, CS-4510, CS-4600, CS-4610, CS-5000, 5100, CS-4400, CS-4200	33	13	.325	0.058	1,5	21BPX/LPX	7	56E	158SLBK041	158PXBK041	
	35	14						61E	158SLGK041		
	38	15						64E	168SLGK041	168PXBK041	168RNBK041
	38	15						64E	188SLGK041	188PXBK041	
	40	16						66E			
CS-60S, CS-451VL, CS-452VL, CS-500EVL, CS-500VL, CS-510EVL, CS-550EVL, CS-600EVL, CS-602VL, CS-610EVL, CS-706, CS-650EVL, CS-660EVL, CS-670, CS-701, CS-702VL, CS750EVL, CS-501, CS-601, CS-750VL, CS-5500, 6700, 8000	45	18						64E	200SLHD176		200RND176
	50	20						69E			240RND176
	50	20						70E			
	60	24						81E			
	33	13	3/8	0.050	1,3	72LGX/LPX/D/DP	7	52E			
	38	15						56E	160SLHD176		160RND176
	40	16						59E	180SLHD176		
CS-5501, CS-6700, 6702, 6800, CS-6701, CS-8000, CS-5000, CS-6700, CS-8000, 8001	40	16						59E	188SLHD176		
	40	16						60E	208SLHD176		
	45	18						64E		8873D	
	50	20						70E			
	50	20						72E			
	60	24						81E			

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.





	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
ECHO® ./..											
CS-900EV, CS1001	43	17	.404	0.063	1,6	59L/59AC/27/27P	7	62E			
	53	21						72E			
	63	25						82E		213ATLE086	
	75	30						92E		253ATLE099	
CS-1100VL, CS-1200, 1201	53	21	.404	0.063	1,6	59L/59AC/27/27P	7	72E		213ATLE086	
	63	25						84E		253ATLE099	
EFCO®											
PT2500,	25	10	90	.043	1,1	90SG	6	39E			104MLEA318
131, 132, 125, 3600, 4000, MT350, MT3500	25	10	91	0.050	1,3	91VG/91VX/91P	6	40E			100SDEA041
	30	12						45E	120SPEA041*	120SXEA041	120SDEA041*▲
	35	14						52E	140SPEA041*	140SXEA041	140SDEA041*▲
	40	16						56E	160SPEA041*	160SXEA041	160SDEA041*▲
134, 135, 114E, 115, 116E, 117E, 136, 140, 140S, 119	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E			140SDEA111
	35	14						49E			160SDEA129
	40	16						56E	130MPBK095	130MLBK095	
138, 141	33	13	95	0.050	1,3	95VPX	7	56E	150MPBK095	150MLBK095	
	38	15						64E	160MPBK095	160MLBK095	
	40	16						66E	180MPBK095	180MLBK095	
	45	18						72E			130MLBK041
140S	33	13	95	0.050	1,3	95VPX	7	56E			160MLBK041
	40	16					7	66E	118SLBK095		
142, 146, 151, 156, 162, 147, 152, 165	28	11	.325	0.058	1,5	21BPX/LPX	7	52E	138SLBK095	138PXBK095	138RNBK095
	33	13						56E			
	35	14						60E	158SLGK095		158RNBK095
	38	15						64E	168SLGK095	168PXBK095	168RNBK095
	40	16						66E	34372		
	40	16						68E	188SLGK095	188PXBK095	188RNBK095
	45	18						72E	208SLGK095		208RNBK095
	50	20						78E	168SLHD024	168SFHD024	
170, 180, 171, 181	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E	188SLHD024	188SFHD024	188ATMD024
	45	18						68E	208SLHD024	208SFHD024	208RND024
	50	20						72E			
	58	23						80E			
	63	25						88E			308ATMD024
	75	30						98E			
	40	16	.404	0.058	1,5	58L/26	7	55E			188ATMD024
	45	18						62E			208ATMD024
	50	20						66E			
	58	23						73E		173RNFE031	173ATLE031
199	43	17	.404	0.063	1,6	59L/59AC/27/27P	7	60E		213RNFE031	213ATME031
	53	21						68E			
	63	25						80E			
	75	30						92E			
	90	36						108E			
	104	41						123E			
EINHELL											
EKS25, EKS35	25	10	91	0.050	1,3	91VG/91VX/91P	7	41E			
	30	12						47E			
	35	14						54E			



OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



www.oregonchain.eu

T* = INTENZ

A - 78



	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
EINHELL ./..											
	40	16					58E				
40A, 41, MKS30, MKS40AV	30	12	91	0.050	1,3	91VG/91VX/91P	7	45E			120SDEA064
	35	14						52E			140SDEA064
	40	16						56E	160SPEA064		160SDEA064
	40	16									
PES30, PES34, PES34, PES35, PES40, PROFI, KSE1640, KSE1435, EKS1650, PES 1640, PES 1540, KSE1435, KSE1635, KSE, KSE1640, KSE2000, PKS1635, PKS1840	30	12	91	0.050	1,3	91VG/91VX/91P	7	45E	120SPEA041*	120SXEA041	120SDEA041*▲
	35	14						52E	140SPEA041*	140SXEA041	140SDEA041*▲
	40	16						57E	160SPEA041*	160SXEA041	160SDEA041*
	40	16									
PKS45/1AV, PKS50/1AV	28	11	.325	0.058	1,5	21BPX/LPX	7	52E	118SLBK095		
	33	13						56E	138SLBK095	138PXBK095	138RNBK095
	35	14						60E			
	38	15						64E	158SLGK095		158RNBK095
	40	16						66E	168SLGK095	168PXBK095	168RNBK095
	40	16						68E	34372		
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
	50	20						78E	208SLGK095		208RNBK095
ELPI											
All Models	33	13	.325	.058	1,5	21BPX/LPX		56E	138SLBK095	138PXBK095	
ESPER											
SS-300, SS-360	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXEA041	120SDEA041*▲
	35	14						52E	140SPEA041*	140SXEA041	140SDEA041*▲
	40	16						57E	160SPEA041*	160SXEA041	160SDEA041*
FESTO											
ZKS30	35	14	.325	0.050	1,3	20BPX/LPX	7	61E			
	35	14	3/8	0.050	1,3	72LGX/LPX/D/DP	7	54E			
FOLUX											
E140F, F130, F140, F2, F3, F30, F35, F4, F41	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E			
	35	14						49E			140SDEA111
	40	16						56E			160SDEA129
F150, F155, F40, F42, F46, F51	28	11	.325	0.058	1,5	21BPX/LPX	7	52E	118SLBK095		
	33	13						56E	138SLBK095	138PXBK095	138RNBK095
	35	14						60E			
	38	15						64E	158SLGK095		158RNBK095
	40	16						66E	168SLGK095	168PXBK095	168RNBK095
	40	16						68E	34372		
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
	50	20						78E	208SLGK095		208RNBK095
CAMPERA160, F160, F165, F170A, F180A, F5, F55A, F6, F7, F8	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E	168SLHD024	168SFHD024	
	45	18						68E	188SLHD024	188SFHD024	188ATMD024
	50	20						72E	208SLHD024	208SFHD024	208ATMD024
	58	23						80E			
	63	25						88E			
	40	16	.404	0.058	1,5	58L/26	7	55E			
	45	18						62E			188ATMD024
	50	20						66E			208ATMD024
58	23							73E			
	23										
FRONTIER											
F35AV, FB35, FB35AV, FB35VIP, FP35,	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E			120SDEA064
	35	14						52E			140SDEA064

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.





	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
FRONTIER ./..											
FP365VIP, MK1,	40	16					56E	160SPEA064			160SDEA064
FP45	40	16	.325	0.050	1,3	20BPX/LPX	7	65E	160SLGZ095		
	45	18						72E	180SLGK095		
GARDEN											
35, 40, 45, 245, GD33	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E			
	35	14						50E			140SDEA016
	40	16						56E			160SDEA016
	45	18						60E			
E 16, E17, GD160, GD170	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E			
	35	14						50E			
	40	16						55E			
	40	16						56E			
GD36, GD39	30	12	91	0.050	1,3	91VG/91VX/91P	7	44E			
	35	14						50E			
	40	16						56E			
	45	18						60			
GD45, GD50	33	13	.325	0.058	1,5	21BPX/LPX		56E	138SLBK095	138PXBK095	
	35	14					7	61E			
	40	16						66E	168SLBK095		
	45	18						72E	188SLBK095	188RNBK095	
	50	20						78E			
GRIZZLY®											
KS400i	40	16	90	0.043	1,1	90SG	6	55E			164MLET074
HANDY											
30HF, 35HF, 41HF,	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E			
E140F, F130, F140	35	14						49E			140SDEA111
	40	16						56E			160SDEA129
40HF	28	11	.325	0.058	1,5	21BPX/LPX	7	52E	118SLBK095		
	33	13						56E	138SLBK095	138PXBK095	138RNBK095
	35	14						60E			
	38	15						64E	158SLGK095		158RNBK095
	40	16						66E	168SLGK095	168PXBK095	
	40	16						68E	34372		
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
	50	20						78E	208SLGK095	208RNBK095	
HITACHI											
CS280A, CS280B,	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXEA041	120SDEA041*▲
CS350A, CS350B, CS35B	35	14						52E	140SPEA041*	140SXEA041	140SDEA041*▲
	40	16						57E	160SPEA041*	160SXEA041	160SDEA041*
HOMELITE®											
20AV, 23AV, 27, 3300, 3350, 3550, 3800,	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXEA041	120SDEA041*▲
3335, 3850, 4500, 4550, PS33, RANGER,	35	14						52E	140SPEA041*	140SXEA041	140SDEA041*▲
3300, CS40, TIMBERMAN, UT10901,	40	16						56E	160SPEA041*	160SXEA041	160SDEA041*▲
UT10926, UT10974											
192, 200, 240SL, 245SL,	20	8	91	0.050	1,3	91VG/91VX/91P	6	37E			
SUPER2/2CC, 180Series, 190, 192,	25	10						42E			
SUPER2SL	30	12						48E	120GPEA061*		120DGEA061*
ELELECTRIC, XL, XL-10,	30	12						49E			
XL2 CC, XL2SUPER, XLTI,	35	14						52E	140GPEA061*		
BANDIT LX30, EL14,	35	14						53E			140DGEA061*



OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



www.oregonchain.eu

T* = INTENZ

A - 80



	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
HOMELITE® /..											
SABRE 31, 33, 205	40	16					59E	160GPEA061*			160DGEA061*
30, 150, EZ, EZAUTO, 130	30	12	.325	0.050	1,3	20BPX/LPX	8	54E			
MINI, SUPEREZAUTO,	33	13						56E			
SUPERXLMINI, EZ250, 252,	35	14						61E			
VISUPERMINI,	40	16						67E	160SLGZ095	160RNBK095	
VI-123, VI-125, XL-76,	45	18						72E	180SLGK095		
XL100SERIES, XL250, 415b, 4550b	50	20						78E		200RNBK095	
290, 300, 340 MINI SL, 150, CS-40	30	12	3/8	0.050	1,3	72LGX/LPX/D/DP	7	49E			
	35	14						54E			
	40	16						59E			160PXDK095
	45	18						64E		180ATMZ095	
	50	20						70E		200ATMZ095	
	60	24						81E			
250, 252, 290, 290C,	33	13	.325	0.050	1,3	20BPX/LPX	8	57E			
300, 340, 340C,	35	14						61E			
3850B, 415b, 4550b, HSC4040, 4545	38	15						65E			
	40	16						66E			160PXBK095
	40	16						69E			
	45	18						73E	180SLGK095		
	33	13	.325	0.058	1,5	21BPX/LPX	7	57E	138SLBK095	138PXBK095	138RNBK095
	35	14						61E			
	38	15						65E	158SLGK095		158RNBK095
	38	15						65E	158SLBK095	158PXBK095	158RNBK095
	40	16						67E	168SLGK095	168PXBK095	168RNBK095
	40	16						69E	34372		
	45	18						73E	188SLGK095	188PXBK095	188RNBK095
	50	20						78E	208SLGK095		208RNBK095
330, 350, 360AO, 360SL, 700, 800, 825,	40	16	3/8	0.050	1,3	72LGX/LPX/D/DP	7	60E	160GLHD196	160RND196	160ATMD196
460, 400, 540, 410, 450, 450SL, 550, 850,	50	20						70E	200GLHD196	200RND196	200ATMD196
825, 900, 922, 923, 400, 700, 800, 550SL,	60	24						81E		240RND196	
650, 750, 925, 955, SUPERXLAUTO, SXLA0,	67	27						93E			
SXL925, XL12, 8800	73	29						98E			
1000XP, 1020, 2100,	43	17	3/8	0.063	1,6	75LGX/LPX/D/DP	7	68E			
700DSERIES,	53	21						78E			
S1050AUTO	63	25						90E			
SUPER1050XP, WIZ,	43	17	.404	0.063	1,6	59L/59AC/27/27P	7	62E			
XSERIES, XP SERIES,	53	21						71E			
XP2000, ZIP	63	25						82E			
360	43	17	.404	0.063	1,6	59L/59AC/27/27P	7	62E			
	53	21						71E			
HUSQVARNA®											
325P4X, 325P4x, 323P4	25	10	91	0.050	1,3	91VG/91VX/91P	6	40E			
250PS,	20	8	91	0.050	1,3	91VG/91VX/91P	6	32E			
23, 36, 41, 136, 137, 141, 142,		12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXE041	120SDEA041*▲
243, E16, E316, E317, E321		14						52E	140SPEA041*	140SXE041	140SDEA041*▲
		16						56E	160SPEA041*	160SXE041	160SDEA041*▲
		18						62E			180SDEA041*
33, 36, 41, 335XPT, 333, 334, 1600,	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA095		120SDEA095*▲
338, 1400, 136, 141, 315, 316, 318,	35	14						52E	140SPEA095*		140SDEA095*▲
137, 142, 243, 320, 321, 338XPT,	40	16						56E	160SPEA095*		160SDEA095*▲

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.





	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
HUSQVARNA® ./..											
16, 316	45	18					60E				180SDEA095
HUSKY32, HUSKY38,	30	12	91	0.050	1,3	91VG/91VX/91P	6	47E			
	35	14						53E			
	40	16						58E			
133, 134, 234, 234, 238, 33, 36, 40, 41, 42, 44, 45, 49, 50, 51, 57, 55, E1400, E1600, EL16, 242XP, 246, 254, 257, 254, 142, 339, 340, 345, 346, 350, 351, 353, 357, 359, 360, 444, 455	33	13	95	0.050	1,3	95VPX	7	56E	130MPBK095	130MLBK095	
	38	15						64E	150MPBK095	150MLBK095	
	40	18						72E	180MPBK095	180MLBK095	
350, 351, 353, 355	28	11	.325	0.058	1,5	21BPX/LPX	7	52E	118SLBK095		
	33	13						56E	138SLBK095	138PXBK095	138RNBK095
	35	14						60E			
	38	15						64E	158SLGK095		158RNBK095
	38	15						64E	158SLBK095	158PXBK095	158RNBK095
	40	16						66E	168SLGK095	168PXBK095	168RNBK095
	40	16						68E	34372		
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
	50	20						78E	208SLGK095		208RNBK095
133, 136, 137, 140, 141, 142, 154, 234, 238, 240, 242, 234,, 246, 254, 257, 261, 340, 345, 346, 350, 351, 357, 359, 360, 444, 450, 455, 235, 340, EL16, EL1400, EL1500, EL1600, 460	28	11	.325	0.058	1,5	21BPX/LPX	7	52E	118SLBK095		
	33	13						56E	138SLBK095	138PXBK095	138RNBK095
	35	14						60E			
	38	15						64E	158SLGK095		158RNBK095
	38	15						64E	158SLBK095	158PXBK095	158RNBK095
	40	16						66E	168SLGK095	168PXBK095	168RNBK095
	40	16						68E	34372		
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
	50	20						78E	208SLGK095		208RNBK095
154, 254, 257, 261, 262, 362, 357, 359, 560XP 455, 55	28	11	.325	0.058	1,5	21BPX/LPX	7	52E	118SLBK095		
	33	13						56E	138SLBK095	138PXBK095	138RNBK095
	35	14						60E			
	38	15						64E	158SLGK095		158RNBK095
	38	15						64E	158SLBK095	158PXBK095	158RNBK095
	40	16						66E	168SLGK095	168PXBK095	168RNBK095
	40	16						68E	34372		
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
	50	20						78E	208SLGK095		208RNBK095
	33	13	3/8	0.058	1,5	73LGX/LPX/D/DP	7	50E	138SLDK095		138RNDK095
	33	13						52E			
	38	15						56E	158SLHK095		
	40	16						60E	168SLHK095		168RNDK095
	45	18						64E	188SLHK095		168ATMK095
	45	18						68E	39450		188RNDK095
	50	20						72E			188ATMK095
	60	24						84E			248RNDK095
162, 61, 181, 185 2100, 2100, 266, 160, 260 , 268, 272, 272, 281, 285, 288, 365, 380, 394, 395, 390, 371, 394, 298, 380, 480, 65, 66, 77, 70,	33	13	3/8	0.058	1,5	73LGX/LPX/D/DP	7	52E	138SLHD009		138RNDK095
	38	15						56E	158SLHD009	158SFHD009	158RNDK095
	40	16						60E	168SLHD009	168SFHD009	168RNDK095
	43	17						64E	178SLHD009		178RNDK095
	45	18						68E	188SLHD009	188SFHD009	188RNDK095



OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.

www.oregonchain.eu

T* = INTENZ

A - 82



	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
HUSQVARNA® ./..											
372, 385, 395, 480, 562XP, 570, 575, 576XP, 575XP, 1100 2101, 3120	50	20					72E	208SLHD009	208SFHD009	208RNDD009	208ATMD009
										228RNDD009	
	55	22					76E			228RNDD009	
	60	24					84E			248RNDD009	248ATMD009
	65	26					89E			268RNDD009	
	70	28					92E			288RNDD009	288ATMD009
	75	30					102E			308RNDD009	
3120, 395	90	36	3/8	0.063	1,6	75LGX/LPX/D/DP	7	115E		363RNDD009	363ATLD009
	55	22	.404	0.063	1,6	59L/59AC/27/27P	7	68E			223ATMD009
	60	24						76E		243RNFD009	243ATMD009
	90	36						104E		363RNFD009	363ATLD009
	33	13	3/8	0.058	1,5	75LGX/LPX/D/DP	7	52E	138SLHD009	138RNDD009	
	33	13						52E	138SLDD009	138RNDD009	
	38	15						56E	158SLHD009	158SFH009	158RNDD009
	40	16						60E	168SLHD009	168SFHD009	168RNDD009
	43	17						64E	178SLHD009		178RNDD009
	45	18						68E	188SLHD009	188SFHD009	188RNDD009
	50	20						72E	208SLHD009	208SFHD009	208RNDD009
	55	22						76E		228RNDD009	
	60	24						84E		248RNDD009	248ATMD009
	65	26						89E		268RNDD009	
	70	28						92E		288RNDD009	288ATMD009
	75	30						102E		308RNDD009	
	90	36	3/8	0.063	1,6	75LGX/LPX/D/DP	7	115E		363RNDD009	363ATLD009
SAWMILL	40	16	95R	0.050	1,3		8	67E			
	50	20						81E			
HYDRASAW											
MILES ROYSTON	45	18	3/8	0.058	1,5	73LGX/LPX/D/DP	7	70E			188ATMD009
	55	22						79E			
IKRA											
KS 1400, KS 1500, KS 1600, EKS 1600, EKS1700, EKS1800, KS 2000, KS 1200, KS 1400	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXEA041	120SDEA041*▲
	35	14						52E	140SPEA041*	140SXEA041	140SDEA041*▲
	40	16						57E	160SPEA041*	160SXEA041	160SDEA041*
	45	18						62E			180SDEA041
	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXEA041	120SDEA041*▲
	35	14						52E	140SPEA041*	140SXEA041	140SDEA041*▲
	40	16						56E	160SPEA041*	160SXEA041	160SDEA041*▲
	40	16									
INKAR											
All Models	38	15	.325	.058	1,5	21BPX/LPX		64E	158SLBK095	158PXBK095	
IRCEM											
1700F,	40	16	.325	0.050	1,3	20BPX/LPX	8	64E			
12000F	45	18	3/8	0.058	1,5	73LGX/LPX/D/DP	7	68E	188SLHD024	188SFHD024	188ATMD024
	50	20						72E	208SLHD024	208SFHD024	208RNDD024
JCBHYDROCHIEF											
All models	43	17	3/8	0.063	1,6	75LGX/LPX/D/DP	7	67E		173RNDE031	173ATME031
	53	21						75E		213RNDE031	213ATME031
	63	25						83E			253ATLE099
	43	17	.404	0.063	1,6	59L/59AC/27/27P	7	60E		173RNFE031	173ATME031
	53	21						68E		213RNFE031	213ATME031
	63	25						80E			253ATLE099

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.





	cm	"	"	mm		SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
JOBU										
941, 941S, EL1201, EL880, SL361, SL41	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E		120SDEA064
	35	14						52E		140SDEA064
	40	16						57E	160SPEA064	160SDEA064
SL-3, SL31, SL35	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SXEA041	120SDEA041*⚠
	35	14						52E	140SXEA041	140SDEA041*⚠
	40	16						57E	160SPEA041* 160SXEA041	160SDEA041*
LP4, LP40, LP5, LP50, LP6	33	13	.325	0.058	1,5	21BPX/LPX	7	56E		
	38	15						64E		
949, EL14	28	11	.325	0.058	1,5	21BPX/LPX	8	52E	118SLBK095	
	33	13						56E	138SLBK095 138PXBK095	138RNBK095
	35	14						60E		
	38	15						64E	158SLGK095	158RNBK095
	40	16						68E	34372	
	45	18						72E	188SLGK095 188PXBK095	188RNBK095
	50	20						78E	208SLGK095	208RNBK095
	33	13	3/8	0.058	1,5	73LGX/LPX/D/DP	7	50E	138SLDK095	138RNDK095
	38	15						56E	158SLHK095	158RNDK095
	40	16						59E		
JOHN DEERE®										
25EV, 28, 28V, 30, 30V, 35EV, 40V, 200CS, 230CS, CCS36, CS36LE, CS40, CS40LE, CS40V	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041* 120SXEA041	120SDEA041*⚠
	35	14						52E	140SPEA041* 140SXEA041	140SDEA041*⚠
	40	16						57E	160SPEA041* 160SXEA041	160SDEA041*
CS46, CS52, CS56, CS62	33	13	95	0.050	1,3	95VPX	7	56E	130MPBK095 130MLBK095	
	38	15						64E	150MPBK095 150MLBK095	
	45	18						72E	180MPBK095 180MLBK095	
	40	16	.325	0.050	1,3	20BPX/LPX	7	66E	160SLGK095	160RNBK095
	45	18						72E	180SLGK095	180ATMZ095
45EV, 46EV, 300CS, 450V	40	16	.325	0.050	1,3	20BPX/LPX	7	66E	160SLGK041	160RNBK041
	45	18						72E	180SLGK041	180RNBK041
50AV, 50V, 51SV, 55SV, 55V, 60V, 65, 65SV, 66SV, 70V, 80EV, 800V	40	16	3/8	0.050	1,3	72LGX/LPX/D/DP	7	60E	160SLHD176	160RND176
	45	18						64E	180SLHD176	
	50	20						69E		
	50	20						70E	200SLHD176	200RND176
	60	24						81E		240RND176
CS71, CS81	40	16	3/8	0.050	1,3	72LGX/LPX/D/DP	7	60E	160GLHD196	160RND196 160ATMD196
	50	20						70E	200GLHD196	200RND196 200ATMD196
	60	24						81E		240RND196
JONSERED®										
BABYSAWM36, M361, 361, 365, 370	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E		120SDEA064
	35	14						50E		
	35	14						52E		140SDEA064
	40	16						57E	160SPEA064	160SDEA064
2033 TH	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041* 120SXEA041	120SDEA041*⚠
	35	14						52E	140SPEA041* 140SXEA041	140SDEA041*⚠
	40	16						57E	160SPEA041* 160SXEA041	160SDEA041*
2118 EL, 2115EL, 2035, 2116, 2115, 2135, 2121, 2117, 2137, 2138, 2139	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA095	120SDEA095⚠
	35	14						52E	140SPEA095*	140SDEA095*⚠
	40	16						56E	160SPEA095*	160SDEA095*⚠
	45	18						60E		180SDEA095
EL14, EL1200, 45E, 49SP, 50, 52, 2014,	28	11	.325	0.058	1,5	21BPX/LPX	7	52E	118SLBK095	



OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



www.oregonchain.eu

T* = INTENZ

A - 84



	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
JONSERED® ./..											
2015, 2016, 2012, 51, 370, 380, 410, 420,	33	13					56E	138SLBK095	138PXBK095	138RNBK095	
425, 435, 450, 451, 45, 451EVS, 452, 490	35	14					60E				
455, 450, 451, 455, 510, 520, 521, 510, 520,	38	15					64E	158SLGK095		158RNBK095	
525, 535, 590, 590, 2012, 2014, 2015,	38	15					64E	158SLBK095	158PXBK095	158RNBK095	
2016, 2036, 2040, 2041, 2045, 2149,	40	16					66E	168SLGK095	168PXBK095	168RNBK095	
2050, 2063, 2051, 2054, 2055,	40	16					68E	34372			
2150, 2145, 2141, 2152, 2153,	45	18					72E	188SLGK095	188PXBK095	188RNBK095	
2255, 2156, 2163	50	20					78E	208SLGK095		208RNBK095	
2159, 2145, 2149, 2147	33	13	95	0.050	1,3	95VPX	7	56E	130MPBK095	130MLBK095	
	38	15						64E	150MPBK095	150MLBK095	
	45	18						72E	180MPBK095	180MLBK095	
2063, 2163, 2159	33	13	3/8	0.058	1,5	73LGX/LPX/D/DP	7	50E	138SLDK095		138RNDK095
	38	15						56E	158SLHK095		158RNDK095
	40	16						60E	168SLHK095		168RNDK095
	45	18						64E	188SLHK095		188RNDK095
	28	11	.325	0.058	1,5	21BPX/LPX	7	52E	118SLBK095		
	33	13						56E	138SLBK095	138PXBK095	138RNBK095
	35	14						60E			
	38	15						64E	158SLGK095		158RNBK095
	38	15						64E	158SLBK095	158PXBK095	158RNBK095
	40	16						66E	168SLGK095	168PXBK095	168RNBK095
	40	16						68E	34372		
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
	50	20						78E	208SLGK095		208RNBK095
	33	13	95	0.050	1,3	95VPX	7	56E	130MPBK095	130MLBK095	
	38	15						64E	150MPBK095	150MLBK095	
	45	18						72E	180MPBK095	180MLBK095	
625, 630, 630SUPER,	33	13	3/8	0.058	1,5	73LGX/LPX/D/DP	7	52E	138SLDD009		138RND009
670, 670CHAMP,	38	15						56E	158SLHD009	158SFH009	158RND009
2077, 2083, 2094, 2095,	40	16						60E	168SLHD009	168SFHD009	168RND009
2095, 2065, 2071, 2171,	43	17						64E	178SLHD009		178RND009
2165, 2186	45	18						68E	188SLHD009	188SFHD009	188RND009
820/830* 920/930*	50	20						72E	208SLHD009	208SFHD009	208RND009
(*with 9mm stud)	55	22						76E			228RND009
	60	24						84E			248RND009
	65	26						89E			268RND009
	70	28						92E			288RND009
	75	30						102E			308RND009
	90	36	3/8	0.063	1,6	75LGX/LPX/D/DP	7	115E			363RND009
	53	21	.404	0.058	1,5	58L/26	7	68E			218ATMD009
	55	22	.404	0.063	1,6	59L/59AC/27/27P	7	68E			223ATMD009
	60	24						76E			243ATMD009
	90	36						104E			363ATLD009
60, 62, 66, 70, 75, 77	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E	168SLHD024	168SFHD024	
80, 81, 90, 110, 111, 601, 621,	45	18						68E	188SLHD024	188SFHD024	188ATMD024
751, 801, 820, 830,	50	20						72E	208SLHD024	208SFHD024	208RND024
910E, 920, 930, 941	58	23						80E			
	63	25						88E			
	75	30						98E			308ATMD024
1020	40	15	3/8	0.058	1,5	73LGX/LPX/D/DP	7	56E	158SLHD010		

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.

A - 85

T* = INTENZ



www.oregonchain.eu





	cm	"	"	mm				SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
JONSERED® ./..												
	43	17						64E	178SLHD010			
	55	22						76E				
SAWMILL 2095+, SAWMILL 600+	40	16	91R	0.050	1,3	91R	8	60E				
	50	20						72E				
	40	16	95R	0.050	1,3	95R	8	67E				
	50	20						81E				
KING CRAFT												
All Models	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXEAO41		120SDEA041*▲
	35	14						52E	140SPEA041*	140SXEAO41		140SDEA041*▲
	40	16						57E	160SPEA041*	160SXEAO41		160SDEA041*
	45	18						62E				180SDEA041
KRESS®												
DUO-SAGE	25	10	91	0.050	1,3	91VG/91VX/91P	9	36E				
LANDONI												
771, 772	35	14	.325	0.050	1,3	20BPX/LPX	7	60E				
	40	16						64E				
	45	18						70E				
773, L20	40	16	3/8	0.050	1,3	72LGX/LPX/D/DP	7	58E				
	50	20						70E				
	60	24						80E				
LEROY SOMER												
TLS1412, TLS1530,	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E				120SDEA089
TLS1614, TLS1616,	35	14						50E				140SDEA089
TLS1635, TLS1716	40	16						56E				160SDEA089
LOGOSOL												
3000, 3052, 0036 with Stihl® 064, 066, MS660, MS361	33	13	3/8R	0.063	1,6	75RD		52E			133RNDD025	
	38	15						56E	153SLHD025	153SFHD025	153RNDD025	153ATMD025
	40	16						60E	163SLHD025	163SFHD025	163RNDD025	163ATMD025
	45	18						66E	183SLHD025	183SFHD025	163RNDD025	163ATMD025
	50	20						72E	203SLHD025	203SFHD025	203RNDD025	203ATMD025
	60	24						84E			243RNDD025	243ATMD025
	70	28						91E			283RNDD025	
	75	30						98E				
	90	36						114E			363RNDD025	
3020 with Stihl® 084, 088, MS880	38	15	3/8R	0.063	1,6	75RD		58E				
	43	17						66E			173RNDE031	173ATLE031
	50	20						74E				
	53	21						75E			213RNDE031	213ATLE031
	63	25						86E				
	63	25						88E			253RNDE031	
LOMBARD												
AP-22, AP-24, LITTLELIGHTING, PONY	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E				
	30	12						45E				120SDEA064
	35	14						52E				140SDEA064
	40	16						55E	160SPEA064			160SDEA064
ALLSERIES, COMANGO, GLPSERIES, LIGHTING SERIES	40	16	3/8	0.050	1,3	72LGX/LPX/D/DP	7	60E	160SLHD176		160RNDD176	
	45	18						66E			180RNDD176	
	50	20						70E	200SLHD176		200RNDD176	
	60	24						81E				



OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.

www.oregonchain.eu

T* = INTENZ

A - 86



	cm	"	"	mm		SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
MAFELL										
BS300,	40	16	91	0.050	1,3	91VG/91VX/91P	6	57E	160SPEA041*	160SXE041
KSU330	35	14	.325	0.050	1,3	20BPX/LPX	7	61E		
ZS330, ZS200E,	35	14	3/8	0.050	1,3		7	54E		
EKS400,	38	15	.325	0.058	1,5	21BPX/LPX	7	64E	158SLGK095	158RNBK095
EKS400S	38	15	95	0.050	1,3	95VPX	7	64E	150MPBK095	150MLBK095
MAKITA®										
5011B, 5012B, 5014B,	30	12	1/4	0.050	1,3	25AP	9	66E		120SDAA041
5014NB, 5016B, 5016NB	35	14						76E		140SDAA041
AUC120DWAE	12	5	1/4	0.050	1,3	25AP	6	42E		
DCS 34, DCS330, 340, 341, 390, 400	30	12		0.043	1,1		6	46E		124MLEZ041*
401, 5012, 5014, 5016, 3500, UC3501,	35	14						52E		144MLEA041*
UC3020A, UC3520A, UC4020A	40	16						56E		164MLEZ041
DCS330S, DCS350, DCS3501, DCS390,	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXE041
UC3501, UC3520A, BUC250RDE,										
BUC122RFE										
DCS400, DCS380, DCS300, DCS3410TH,	30	12						46E		120SDEZ041*
DCS232T, UC3030A,										
DCS340, DCS341, DCS401, DCS4610,	35	14						52E	140SPEA041*	140SXE041
UC3530AK										140SDEA041*
UC3000, UC3500, UC4000	40	16						56E		160SDEZ041*
UC3000, UC3500, UC4000, UC4030AK	40	16						56E		160SDEA041*
5012, 5014, 5016	40	16						57E	160SPEA041*	160SXE041
DCS 410, DCS411	33	13	.325	0.050	1,3	20BPX/LPX	7	56E		130MLBK041
DCS 4301	38	15						64E		150MLBK041
	45	18						72E		180MLBK041
DCS430, DCS431, DCS 520, DCS4300i,	33	13	.325	0.050	1,3	20BPX/LPX	7	56E	130MPBK095	130MLBK095
DCS5200i	38	15						64E	150MPBK095	150MLBK095
	45	18						72E	180MPBK095	180MLBK095
DCS430, DCS520,	28	11	.325	0.058	1,5	21BPX/LPX	7	52E	118SLBK095	
DCS4300i, DCS5200i,	33	13						56E	138SLBK095	138PXBK095
DCS431, DCS520,	35	14						60E		138RNBK095
DCS43001, DCS431, 45	38	15						64E	158SLGK095	158RNBK095
	38	15						64E	158SLBK095	158PXBK095
	40	16						66E	168SLBK095	
	40	16						68E	34372	
	45	18						72E	188SLBK095	
	45	18						72E	188SLGK095	188PXBK095
	50	20						78E	208SLGK095	208RNBK095
DCS460, DSC500, DSC4600, DSC5030	38	15	3/8	0.058	1,5	73LGX/LPX/D/DP	7	56E	158SLHK153	158RNB083
	43	17						64E		178RNB083
	45	18						64E	188SLHK153	178ATMB083
	50	20						72E	208SLHK153	208RNB083
	53	21						72E		
DCS6000i, DCS520i, 540, 5200, 6000	38	15	3/8	0.058	1,5	73LGX/LPX/D/DP	7	56E		158RNB083
DCS 6800i	43	17						64E		178RNB083
	50	20						72E		208RNB083
	53	21						72E		
9000,	43	17	3/8	0.058	1,5	73LGX/LPX/D/DP	8	64E		
DCS9010	50	20						72E		208RND033
	58	23						80E		208ATMD033
DCS-6400, DCS-7300, DCS6401, DCS9000,	38	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E	168SLHD009	168SFHD009

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.

A - 87

T* = INTENZ



www.oregonchain.eu





	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
MAKITA® ./.											
DCS9010, DCS7301, DCS79001, DCS-7900	45	18					68E	188SLHD009	188SFHD009		188ATMD009
	50	20					72E	208SLHD009	208SFHD009		208ATMD009
	60	24					84E				248ATMD009
	70	28					92E				288ATMD009
MCCULLOCH® (Italy)											
Electramac 312, 314, 316, 330, 335 340, 414, 416, Mac 335, MacCat 436, 441, Mac 538e, 539e, Promac33	30	12	91	.050	1,3	91VG/91VX/91P	6	45E			120SDEA318*
	35	14						50E	140SPEA318*	140SXEA318	140SDEA318*▲
	40	16						56E	160SPEA318*	160SXEA318	160SDEA318*▲
	45	18						60E			180SDEA318*
Mac 542e, California, Mac 545e (intenz), Mac 5 Evolution(intenz), 2200E, 1900E	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E			120SDEA318*
	35	14						50E	140SPEA318*	140SXEA318	140SDEA318*▲
	40	16						55E	160SPEA318*	160SXEA318	160SDEA318*▲
	45	18						60E			180SDEA318*
ProMac 46 II	33	13	95	0.050	1,3	95VPX	7	56E	130MPBK095	130MLBK095	
	38	15						64E	150MPBK095	150MLBK095	
	45	18						72E	180MPBK095	180MLBK095	
ProMac 54, 61, 72	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E	168SLHD024	168SFHD024	
	45	18						68E	188SLHD024	188SFHD024	188ATMD024
	50	20						72E	208SLHD024	208SFHD024	208RNDD024 208ATMD024
MCCULLOCH®											
M1, M2, M2B, M4, M4B, M6, M6B	25	10	91	0.050	1,3	91VG/91VX/91P	6	38E			
	30	12						44E			
	35	14						50E			
	40	16						56E			
474, 484, 735, C180, CALIFORNIA/ARIZON, CALIFORNIA 90, EAGERBEAVER, MAC120, MAC130, MM30, MM35, PM36, PM310, PM320, 330, 340, PM360, PM364, PM370, PM380, PM470, PM480, PM510, PM400, PM6, PM730, EMAC1040, PM484, MAC940, DAY900, MINI MAC (All Models), 3214/6, 3516/8, EB2.3, MacCat	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E			120SDEA318*
	35	14						49E	140SPEA318*	140SXEA318	140SDEA318*▲
	35	14						50E			
	40	16						55E	160SPEA318*	160SXEA318	160SDEA318*▲
	45	18						60E			
PM394, PM494, MAC 930, MAC935, Mac-Cat 839, 842, Electromac 1030, 1035, Mac120, 14A/S, EM16, 10, 12, 14, 16E	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E			120SDEA318*
	30	12						45E			
	35	14						50E	140SPEA318*	140SXEA318	140SDEA318*▲
	40	16						56E	160SPEA318*	160SXEA318	160SDEA318*▲
ELECTRA MAC16E, 838, 839	45	18						60E			180SDEA318
	40	16	91	0.050	1,3	91VG/91VX/91P	6	54E	160SPEA318*	160SXEA318	160SDEA318*
	35	14	.325	0.050	1,3	20BPX/LPX	7	55E			
	35	14						56E			
3500, 400P, TITAN35, TITAN40, PM38, PM40, PM46, DAYTONA 1000	40	16						64E			
	45	18						72E			
	35	14	91	0.050	1,3	91VG/91VX/91P	6	52E	140SPEA041*	140SXEA041	140SDEA041*▲
	40	16						56E	160SPEA041*	160SXEA041	160SDEA041*▲
TITAN41, TITAN46, 4600, 4700, 4900, 5000, 10-49, 10-42 TIMBERBEAR 849	40	16	.325	0.050	1,3	20BPX/LPX	7	66E	160SLGK095	160RNBK095	
	45	18						72E	180SLGK095		180ATMZ095
1-10, 10-10, 2-10, 3-10, 4-10, 5-10, 55, 555, 6-10, 60, 610, 650, 655,	30	12	3/8	0.050	1,3	72LGX/LPX/D/DP	7	50E			
	40	16						60E	160SLHD276		
	50	20						71E	200SLHD276		



OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



www.oregonchain.eu

T* = INTENZ

A - 88



	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
MCCULLOCH® ./..											
7-10, 70, 700, 80, 800, 805, 850, DE50, SP60, SP81,	60	24					81E				
	70	28					92E				
850, DE50, SP60, SP81, TITAN50, TITAN57, 955, 1000, CP55, CP70, CP70L	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E			
	50	20						71E			
	60	24						81E			
MAC950, MAC960, MAC 970, 300, 050, 006, PROMAC 51, PROMAC55, PROMAC60, PROMAC70	33	13	3/8	0.058	1,5	73LGX/LPX/D/DP	7	52E			
	38	15						56E			
	40	16						60E	168SLHD024	168SFHD024	
	45	18						68E	188SLHD024	188SFHD024	188ATMD024
	50	20						72E	208SLHD024	208SFHD024	208RNDD024 208ATMD024
MCCULLOCH® (JF)											
MS1215, MS1415, MS1425, MS1630, MS1640, MS1435, MS1645, MS1845J, MS1834N, MS1635AV	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E			120SDEA318*
	35	14						49E	140SPEA318*	140SXE318	140SDEA318*▲
	40	16						55E	160SPEA318*	160SXE318	160SDEA318*▲
	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA095		120SDEA095*
	35	14						49E			
	35	14						52E	140SPEA095*		140SDEA095*▲
	40	16						54E			
	40	16						56E	160SPEA095*		160SDEA095*▲
	45	18						60E			180SDEA095
	40	16	.325	0.050	1,3	20BPX/LPX	7	66E	160SLBK095		
5338	35	16	91	0.050	1,3	91VG/91VX/91P	6	57E	160SPEA095*		160SDEA095*
	33	13	.325	0.058	1,5	21BPX/LPX	8	56E	138SLBK095	138PXBK095	
	38	15						64E	158SLBK095	158PXBK095	
1440	30	12	1/4	0.050	1,3	25AP	8	64E			
	35	14						72E			
	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E	120SPEA074*	120SXE074	120SDEA074*▲
	35	14						50E	140SPEA074*	140SXE074	140SDEA074*▲
244, 246, 252	40	16						55E	160SPEA074*	160SXE074	160SDEA074*▲
	40	16	91	0.050	1,3	91VG/91VX/91P	6	58E			
MONDIAL											
V5, V6, V6SUPER	28	11	.325	0.058	1,5	21BPX/LPX	8	52E	118SLBK095		
	33	13						56E	138SLBK095	138PXBK095	138RNBK095
	35	14						60E			
	38	15						64E	158SLGK095		158RNBK095
	40	16						66E	168SLGK095	168PXBK095	168RNBK095
	40	16						68E	34372		
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
	50	20						78E	208SLGK095		208RNBK095
NAUTAC											
135, 140, 144, 232, 236	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E			
	35	14						49E			140SDEA111
	40	16						56E			160SDEA129
244, 246, 252	28	11	.325	0.058	1,5	21BPX/LPX	7	52E	118SLBK095		
	33	13						56E	138SLBK095	138PXBK095	138RNBK095
	35	14						60E			
	38	15						64E	158SLGK095		158RNBK095

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.





	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
NAUTAC ./..											
	40	16					66E	168SLGK095	168PXBK095	168RNDK095	
	40	16					68E	34372			
	45	18					72E	188SLGK095	188PXBK095	188RNBK095	
	50	20					78E	208SLGK095		208RNBK095	
149, 155, 170, 256, 256I	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E	168SLHD024	168SFHD024	
	45	18						68E	188SLHD024	188SFHD024	188ATMD024
	50	20						72E	208SLHD024	208SFHD024	208ATMD024
	58	23						80E			
	63	25						88E			
	75	30						98E			308ATMD024
	40	16	.404	0.058	1,5	58L/26	7	55E			
	45	18						62E			188ATMD024
	50	20						66E			208ATMD024
	58	23						73E			
OLEO-MAC-OLYMPIC®											
EP100 Pole Pruner E1500 931, 932 GS35, GS350	25	10	90	0.043	1,1	90SG	6	39E			104MLEA318
	30	12	90	0.043	1,1	90SG	6	45E			
	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXEAO41	120SDEA041*▲
	35	14						53E	140SPEA041*	140SXEAO41	140SDEA041*▲
	40	16						57E	160SPEA041*	160SXEAO41	160SDEA041*
233, 234, 244, 240, 241, 335, 340, 930, 935DX 935X, 936, 940, E140F, E160F, E1700, E1900, E1500, 300	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E			
	35	14						49E			140SDEA111
	40	16						56E			160SDEA129
OM-E200	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA074*	120SXEAO74	120SDEA074*▲
	35	14						50E	140SPEA074*	140SXEAO74	140SDEA074*▲
	40	16						56E	160SPEA074*	160SXEAO74	160SDEA074*▲
240	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA074*	120SXEAO74	120SDEA074*▲
	35	14						50E	140SPEA074*	140SXEAO74	140SDEA074*▲
	40	16						56E	160SPEA074*	160SXEAO74	160SDEA074*▲
	30	12	.325	0.050	1,3	20BPX/LPX	8	51E			
	35	14						57E			
	40	16						64E			
E170, E170F	30	12	.325	0.050	1,3	20BPX/LPX	8	51E			
	35	14						57E			
	40	16						64E			
937, 938, 941, GS44	33	13	95	0.050	1,3	95VPX	7	56E	130MPBK095	130MLBK095	
	38	15						64E	150MPBK095	150MLBK095	
	40	16						66E	160MPBK095	160MLBK095	
	45	18						72E	180MPBK095	180MLBK095	
940C	33	13	95	0.050	1,3	95VPX	7	56E			130MLBK041
	40	16						66E			160MLBK041
938, 942, 941 945, 950, 946, 950SUPER, 947, 956, 962, 950A, 951, E300 F	28	11	.325	0.058	1,5	21BPX/LPX	7	52E	118SLBK095		
	33	13						56E	138SLBK095	138PXBK095	138RNBK095
	35	14						60E			
	38	15						64E	158SLGK095		158RNBK095
	40	16						66E	168SLGK095	168PXBK095	168RNBK095
	40	16						68E	34372		
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
	50	20						78E	208SLGK095		208RNBK095
962, 956	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E	168SLHK095	168RNDK095	168ATMK095



OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



www.oregonchain.eu

T* = INTENZ

A - 90



	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
OLEO-MAC-OLYMPIC® ./..											
	45	18					68E	39450		188RNDK095	188ATMK095
	50	20					72E	208SLHK095		208RNDK095	208ATMK095
	55	22					77E				
	28	11	.325	0.058	1,5	21BPX/LPX	7	52E	118SLBK095		
	33	13						56E	138SLBK095	138PXBK095	138RNBK095
	35	14						60E			
	38	15						64E	158SLGK095	158RNBK095	
	40	16						66E	168SLGK095	168PXBK095	168RNBK095
	40	16						68E	34372		
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
	50	20						78E	208SLGK095	208RNBK095	
250A, 251, 251SUPER, 251B, 252, 254, 261, 264, 271, 272, 284, 350, 350SUPER, 355, 460, 480, 481, 482, 484, E300, OM-E300	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E	168SLHD024	168SFHD024	
	45	18						68E	188SLHD024	188SFHD024	188ATMD024
	50	20						72E	208SLHD024	208SFHD024	208RND024
	58	23						80E			
	63	25						88E			
	75	30						98E			308ATMD024
970, 980, 971, 981	40	16	.404	0.058	1,5	58L/26	7	55E			
	45	18						62E			188ATMD024
	50	20						66E			208ATMD024
	58	23						73E			
	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E	168SLHD024	168SFHD024	
	45	18						68E	188SLHD024	188SFHD024	188ATMD024
	50	20						72E	208SLHD024	208SFHD024	208RND024
	58	23						80E			
	63	25						88E			
	75	30						98E			308ATMD024
999, 999F, 985	43	17	.404	0.063	1,6	59L/59AC/27/27P	7	60E		173RNF031	173ATLE031
	53	21						68E		213RNF031	213ATME031
	63	25						80E			
	75	30						92E			
	90	36						108E			
	104	41						123E			
OPEM											
130Z, 140Z, 142Z	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXE041	120SDEA041*▲
	35	14						52E	140SPEA041*	140SXE041	140SDEA041*▲
	40	16						57E	160SPEA041*	160SXE041	160SDEA041*
K1, K2, K3, K2SUPER	28	11	.325	0.058	1,5	21BPX/LPX	8	52E	118SLBK095		
	33	13						56E	138SLBK095	138PXBK095	138RNBK095
	35	14						60E			
	38	15						64E	158SLGK095	158RNBK095	
	40	16						66E	168SLGK095	168PXBK095	168RNBK095
	40	16						68E	34372		
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
	50	20						78E	208SLGK095	208RNBK095	
K3	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	59E			
	45	18						64E	188SLHK095	188RNDZ095	
	45	18						68E	39450	188RNDK095	188ATMK095
145, 150, 155, 157, 157SUPER, 165	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E	168SLHD025		
	43	17						64E	178SLHD025		

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.

A - 91

T* = INTENZ



www.oregonchain.eu





	cm	"	"	mm		SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
OPEM ./..										
	48	19				68E	198SLHD025			
PARMA										
All Models,	40	16	3/8	0.063	1,6	75LGX/LPX/D/DP	62E			
	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	62E	168SLHD009	168SFHD009	
PARTNER® (Italy)										
P1535, 1540, 1640, 1835, 1840	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E		120SDEA318*
P351, 352, 371, 391, 538E, 542E	35	14						50E	140SXE318	140SDEA318*
	40	16						56E	160SXE318	160SDEA318*
	45	18						60E		180SDEA318
P411, 462, 511, 543, 461	33	13	95	0.050	1,3	95VPX	7	56E	130MLBK095	
	38	15						64E	150MLBK095	
	45	18						72E	180MLBK095	
P541	40	16	3/8	0.050	1,3	72LGX/LPX/D/DP	7	60E	168SFHD024	
	45	18						68E	188SFHD024	188ATMD024
	50	20						72E	208SFHD024	208RND024
PARTNER®										
1436, 1641	35	14	90	0.043	1,1	90SG	6	52E		144MLEA041
	40	16						56E		164MLEA041
1535EL, 1540EL	35	14	91	0.050	1,3	91VG/91VX/91P	6	50E	140SXE318	140SDEA318*
	40	16						54E	160SXE318	160SDEA318*
1601, 1602, 1612, 1613, 1614, 1616, 1618	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E		120SDEA064
	35	14						52E		140SDEA064
	40	16						56E		160SDEA064
330, 335, 340, 345, 360, 365, 385, 395, 351, 370, P 390, P 420, 350	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SXE041	120SDEA041*
	35	14						52E	140SXE041	140SDEA041*
	40	16						56E	160SXE041	160SDEA041*
	45	18						62E		180SDEA041
1550, 185	35	14	91	0.050	1,3	91VG/91VX/91P	6	52E		140SDEA095*
EL1450, EL1650, 400, 410, 460, 360, 450, 500, 5000	33	13	95	0.050	1,3	95VPX	7	56E	130MLBK095	
	38	15						64E	150MLBK095	
	45	18						72E	180MLBK095	
405, 450, 470, 510, 540	28	11	.325	0.058	1,5	21BPX/LPX	7	52E		
360, 365, 400, 405, 450, 465, 495, 510, 540, 500, 545, MINIFARMERSAW, P500, P5000, P5500, 1200EL, 1400EL, 1450, 1500EL, 1650, 410, 460, 510	33	13						56E	138PXBK095	138RNBK095
	35	14						60E		
	38	15						64E		158RNBK095
	38	15						64E	158PXBK095	158RNBK095
	40	16						66E	168PXBK095	168RNBK095
	40	16						68E		
	45	18						72E	188PXBK095	188RNBK095
	50	20						78E		208RNBK095
550, 605	33	13	3/8	0.058	1,5	73LGX/LPX/D/DP	7	50E		
	38	15						56E		
650, 7000, F65, P100, P55, P65, P70, R16, R17, R18, R19, R20, R21, R22, R40, R417, R418, R420, R421, R422, R435, R440, R522, R523, S50, S55, S65	33	13	3/8	0.058	1,5	73LGX/LPX/D/DP	7	52E		
	38	15						56E		
	40	16						60E		168RND010
	43	17						64E		
	50	20						72E		
	55	22						76E		
660, P7700, 710	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E	168SFHD009	168RND009
	45	18						68E	188SFHD009	188RND009



OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



www.oregonchain.eu

T* = INTENZ

A - 92



	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
PARTNER® /..											
	50	20					72E	208SFHD009	208RNDD009	208ATMD009	
	55	22					77E		228RNDD009		
	60	24					84E		248RNDD009	248ATMD009	
	65	26					89E		268RNDD009		
	70	28					92E		288RNDD009	288ATMD009	
	90	36	3/8	0.063	1,6	75LGX/LPX/D/DP	7	115E	363RNDD009		
P100, P85, R40, R435, R440	55	22	.404	0.063	1,6	59L/59AC/27/27P	7	69E			
	65	26						80E			
PEUGEOT® / FOE											
TLS1630, TLS1635, TLS1640, TRC 1640, TRC1635, TRC1630	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E			120SDEA089
	35	14						50E			140SDEA089
	40	16						56E			160SDEA089
PIONEER											
P10, P11, P12, P12S	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E			120SDEA064
	35	14						52E			140SDEA064
	40	16						56E	160SPEA064		160SDEA064
1072, 1073, 1074, 970, P21, P25, P26, P28, P28S	33	13	.325	0.058	1,5	21BPX/LPX	8	56E	138SLBK095	138PXBK095	138RNBK095
	35	14						61E			
	38	15						64E	158SLGK095		158RNBK095
	38	15						64E	158SLBK095	158PXBK095	158RNBK095
	40	16						66E	168SLGK095	168PXBK095	168RNBK095
	40	16						68E	34372		
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
	50	20						78E	208SLGK095		208RNBK095
FARMLITE, FARMSAWII, FARMSAW-S, P25, P38SS, P40, P41, P41S, P42HP, P42S, P50, P51, P51S, P52S, P60, P61, P61S, P62S	35	14	3/8	0.058	1,5	73LGX/LPX/D/DP	7	53E			
	40	16						61E			
	45	18						68E			
	50	20						72E		208RNDD007	
	60	24						84E			
1110, 1200, 1200A, 1400, 1700, 1800, 2270, 2400, 3071, 3200, 3270AUTO, 3280AUTO, 400, 540, 600 620, 650, 700, P20NU17 P50CP, P51S, P60,	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	62E			
	50	20						70E			
	60	24						79E			
	70	28						92E			
	50	20	.404	0.058	1,5	58L/26	7	64E			
P61, P61S	60	24						72E			
	70	28						84E			
	90	36						100E			
POULAN®											
ES300	35	14	90	0.043	1,1	90SG	6	52E			144MLEA041
	40	16						56E			164MLEA041
1800, 2000, 2300AV, 2300CVA, 25A, P3314, P3314WS, PLN1514, 1420, 1630	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXEA041	120SDEA041*▲
	35	14						52E	140SPEA041*	140SXEA041	140SDEA041*▲
MICRO25, S25CVA, S25D, S25DA, P600, P3416, P4018WT, PLN3516F, ES350	40	16						57E	160SPEA041*	160SXEA041	160SDEA041*
1400E	35	14	91	0.050	1,3	91VG/91VX/91P	6	52E			
200SERIES,	33	13	.325	0.058	1,5	21BPX/LPX	7	56E			
300SERIES, 306, 3400, 445, 446, 450, 360, 361, 3700, 3800, 395, 3900, 4400, 400SERIES, 4000, 4200,	33	13	3/8	0.050	1,3	72LGX/LPX/D/DP	7	52E			
	40	16						60E	160SLHD176		160RNDD176 160ATMD176
	50	20						70E	200SLHD176	200RNDD176	200ATMD176

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.

A - 93

T* = INTENZ



www.oregonchain.eu





	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
POULAN® ./../											
4400, 4900, 5200, 5400, 6700	33	13	3/8	0.058	1,5	73LGX/LPX/D/DP	7	52E			
415, 425, 445, 475, 505	33	13	3/8	0.058	1,5	75LGX/LPX/D/DP	7	52E	138SLHD009		138RNDD009
	33	13						52E	138SLDD009		138RNDD009
	38	15						56E	158SLHD009	158SFHD009	158RNDD009
	40	16						60E	168SLHD009	168SFHD009	168RNDD009
	43	17						64E	178SLHD009		178RNDD009
	45	18						68E	188SLHD009	188SFHD009	188RNDD009
	50	20						72E	208SLHD009	208SFHD009	208RNDD009
	55	22						76E			228RNDD009
	60	24						84E			248RNDD009
	65	26						89E			268RNDD009
	70	28						92E			288RNDD009
	75	30						102E			308RNDD009
5500, 6000	43	17	.404	0.063	1,6	59L/59AC/27/27P	7	61E			173ATMD033
	53	21						70E			
POWER PRUNER®											
PP600,	20	8	91	0.050	1,3	91VG/91VX/91P	6	33E			
PP800, PP1000, PP1250	26	10						39E			100SDEA218
	30	12						44E			120SDEA218*
PP1000, PP1200,	26	10	90	0.043	1,1	90SG	6	39E			
PP1250, PP1260, PP1400PS	30	12						44E			
PREC											
300	35	14	3/8	.050	1,3	72LGX/LPX/D/DP		52E	140SPEA318*	140SXE318	140SDEA318*
PS											
180190	45	18	.404	0.063	1,6	59L/59AC/27/27P	7	60E		183RNDD029	
QUADRA											
FRONTIER	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E			120SDEA064
	35	14						52E			140SDEA064
	40	16						56E	160SPEA064		160SDEA064
RELEX											
R51AVB, R61AVB	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E	168SLHD024	168SFHD024	
	45	18						68E	188SLHD024	188SFHD024	188ATMD024
	50	20						72E	208SLHD024	208SFHD024	208RNDD024
REMINGTON®											
LIMBN'TRIM,	20	8	3/8	0.050	1,3	72LGX/LPX/D/DP	7	48E			
MIGHTYMITE,	25	10						56E			
MIGHTYMITEELEC	30	12						64E			
	35	14						72E			
FASTSHARP, 860AV,	20	8	91	0.050	1,3	91VG/91VX/91P	6	34E			
CUTTER, EL6DELUXE,	25	10						40E			
ELECTRICPOWER,	30	12						45E			
LIMBN'TRIM	35	14						50E			
	40	16						56E			
100, 200, 300, 400,	25	10	91	0.050	1,3	91VG/91VX/91P	6	39E			100SDEA218
500, 812, 814, 816,	30	12						44E			120SDEA218*
816AV, 840AV, 850AV	35	14						49E	140SPEA218*		140SDEA218*
	40	16						54E	160SPEA218*		160SDEA218*
YARDMASTER, E1450,	25	10	91	0.050	1,3	91VG/91VX/91P	6	40E			
EL6STANDARD, EL6SUPER	30	12						45E			120SDEA089
	35	14						50E			140SDEA089



OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



www.oregonchain.eu

T* = INTENZ

A - 94



	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
REMINGTON® ./..											
	40	16					56E				160SDEA089
PL4, PL5, PL55, PL55A, PL5A, PL6, PL6A, PL7, PL7A, SL10, SL10A, SL11A, SL4, SL9, SL9A, SL-14, SL-16	40	16	3/8	0.050	1,3	72LGX/LPX/D/DP	7	60E	160GLHD196	160RNDD196	160ATMD196
	45	18						68E			
	50	20						70E	200GLHD196	200RNDD196	200ATMD196
	66	26						85E			
	45	18	.404	0.058	1,5	58L/26	7	62E			
	53	21						72E			
	60	24						79E			
	75	30						92E			
RYOBI®											
PCN 3335 APR02	25	10	91	0.050	1,3	91VG/91VX/91P	6	40E			100SDEA041
	30	12						45E	120SPEA041*	120SXEA041	120SDEA041*▲
	35	14						52E	140SPEA041*	140SXEA041	140SDEA041*▲
	40	16						57E	160SPEA041*	160SXEA041	160SDEA041*
PCN 4040	40	16						66E	160SLGK041	160RNBK041	
	45	18						72E	180SLGK041	180RNBK041	
35B, CS36C, CS41, CSE3330, CSE385CB, HC31, HC36, HC41, HCS31, HCS36 CS-1530, CS-1535, CS-1540	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E			120SDEA218*
	35	14						49E	140SPEA218*		140SDEA218*
	40	16						55E	160SPEA218*		160SDEA218*
CSE5145, CSE5650	40	16	.325	0.058	1,5	21BPX/LPX	7	68E		168RNBK041	
	45	18						72E	188SLGK041	188PXBK041	
	50	20						80E		208RNBK041	
CSN 410,	40	16	91	0.050	1,3	91VG/91VX/91P	6	56E			
SABRE											
SABRE 31, 33, 205, 3350B, S35	30	12	91	0.050	1,3	91VG/91VX/91P	6	48E	120GPEA061*		120DGEA061*
	30	12						49E			
	35	14						52E	140GPEA061*		
	35	14						53E			140DGEA061*
	40	16						59E	160GPEA061*		160DGEA061*
SAUER											
ZKS2033, ZKS33	35	14	.325	0.050	1,3	20BPX/LPX	7	61E			
	35	14	3/8	0.050	1,3	72LGX/LPX/D/DP	7	54E			
SHARK											
PL2, PL4	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E			120SDEA218*
	38	15						49E	140SPEA218*		140SDEA218*
	40	16						55E	160SPEA218*		160SDEA218*
SHINDAIWA® / SDK / ISEKI											
P230, P231	20	8	90	0.043	1,1	90SG	6	33E			
	25	10						39E			104MLEA318
	30	12						44E			
305AVZ, E305	35	14	1/4	0.050	1,3	25AP	8	76E			140SDAA041
	40	16						86E			
A090B, A100C, A102, A103, A104P, A105B, A107, A110, A110P, A113, A113L, A113P, A117P, 120, 140, A150B, 150E, 160, A180, 285S, 300S, 305, 340, 345, 346, 350, 352, 352S 355, 357, 360, EYB120, EYB150, EYB180, YB291, YB301, YB391, YB395, YB401, YB491	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXEA041	120SDEA041*▲
	35	14						52E	140SPEA041*	140SXEA041	140SDEA041*▲
	40	16						57E	160SPEA041*	160SXEA041	160SDEA041*
360, 366, 377, 400, 415, 416, 420, 446S, 450, 451, 488, 490	33	13	.325	0.050	1,3	20BPX/LPX	7	56E			
	40	16						66E	160SLGK041	160RNBK041	

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.

A - 95

T* = INTENZ



www.oregonchain.eu





	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
SHINDAIWA® / SDK / ISEKI ./..											
500, 510, 560, 580, A180B,	45	18					72E	180SLGK041		180RNBK041	
YB501, YB601, YB701,	28	11	.325	0.058	1,5	21BPX/LPX	7	52E			
YB495, YB691, YB377	33	13						56E	138SLBK041	138PXBK041	
	35	14						60E			
	38	15						64E	158SLBK041	158PXBK041	
	40	16						66E	168SLGK041	168PXBK041	168RNBK041
	45	18						72E	188SLGK041	188PXBK041	
550, 575, 577, 680, 695, 757, 757C	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E	168SLHD009	168SFHD009	168RND009
YB801, YB901,	43	17						64E	178SLHD009		178ATMD009
YB1091	45	18						68E			188ATMD009
	50	20						72E		208RND009	208ATMD009
SHINGU											
SP3200T, SP3200,	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXE041	
SP3400	35	14						52E	140SPEA041*	140SXE041	
	40	16						57E	160SPEA041*	160SXE041	
SP4000	40	16	.325	0.050	1,3	20BPX/LPX	7	66E	160SLGK041		
	45	18						72E	180SLGK041	180RNBK041	
SKIL®											
1600HE, 1601HE,	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E			120SDEA064
1602HE, 1610U, 1612U,	35	14						52E			140SDEA064
1616U, 1712U	40	16						56E	160SPEA064		160SDEA064
1620U, 1634U, 1636U	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXE041	120SDEA041*▲
	35	14						52E	140SPEA041*	140SXE041	140SDEA041*▲
	40	16						57E	160SPEA041*	160SXE041	160SDEA041*
1603H, 1604H	35	14	91	0.050	1,3	91VG/91VX/91P	6	52E			
SOLO®											
613	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXE041	120SDEA041*▲
	35	14						52E	140SPEA041*	140SXE041	140SDEA041*▲
	40	16						57E	160SPEA041*	160SXE041	160SDEA041*
614, 630, 633, 635, 636, 637, 640, 642	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA095		120SDEA095
	35	14						52E	140SPEA095*		140SDEA095*▲
	40	16						56E	160SPEA095*		160SDEA095*▲
	45	18						60E			180SDEA095
636	30	12	90	0.043	1,1	90SG	7	45E			
	35	14						52E			144MLEA095
MULTI-MOT	25	10	1/4	0.050	1,3	25AP	8	58E			
	30	12						68E			
600, 605VA, 606VA,	30	12	91	0.050	1,3	91VG/91VX/91P	6	47E			
631, 632, 634, 638, 641,	35	14						53E			
FARMER31, FARMER32, FARMER38	40	16						58E			
614E	40	16	91	0.050	1,3	91VG/91VX/91P	7	57E			
610, 611VA, 615, 616VA,	40	16	.325	0.050	1,3	20BPX/LPX	7	67E			
FARMER11, FARMER16	45	18						73E			
639, 641, 644, 650,	33	13	.325	0.058	1,5	21BPX/LPX	7	57E	138SLBK095	138PXBK095	138RNBK095
645, 647, 651, 654	35	14						61E			
	38	15						65E	158SLGK095		158RNBK095
	40	16						67E	168SLGK095	168PXBK095	168RNBK095
	40	16						68E	34372		
	45	18						73E	188SLGK095	188PXBK095	188RNBK095
662, 667, 670, 680,	33	13	3/8	0.058	1,5	73LGX/LPX/D/DP	7	52E	138SLHD009		
										138RND009	



OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



www.oregonchain.eu

T* = INTENZ

A - 96



	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
SOLO® ./..											
690, 694	38	15					56E	158SLHD009	158SFH009	158RNDD009	158ATMD009
	40	16					60E	168SLHD009	168SFHD009	168RNDD009	168ATMD009
	43	17					64E	178SLHD009		178RNDD009	178ATMD009
	45	18					68E	188SLHD009	188SFHD009	188RNDD009	188ATMD009
	50	20					72E	208SLHD009	208SFHD009	208RNDD009	208ATMD009
	55	22					76E			228RNDD009	
	60	24					84E			248RNDD009	248ATMD009
	65	26					89E			268RNDD009	
	70	28					92E			288RNDD009	288ATMD009
603, 609	60	24	.404	0.063	1,6	59L/59AC/27/27P	7	76E			243ATMD009
	70	28						84E			
	80	32						95E			
	90	36						108E			
635,642	43	17	.404	0.063	1,6	59L/59AC/27/27P	7	63E			
	53	21						72E			
	63	25						82E			
620, 640, 645, 650, 655, 660, 70, SOLOREX	40	16	3/8	0.050	1,3	72LGX/LPX/D/DP	8	60E			
	50	20						71E			
STANLEY®											
CS04, CS07, CS23	30	12	91	0.050	1,3	91VG/91VX/91P	8	41E			
	35	14						52E			140SDEA041*
	45	18						60E			
CS05, CS06	38	15	.325	0.058	1,5	21BPX/LPX	7	64E	158SLBK095	158PXBK095	
STEINMAX											
CS300, CS360	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E			120SDEA218*
	35	14						49E	140SPEA218*		140SDEA218*
	40	16						55E	160SPEA218*	160SXE318	160SDEA218*
G320AVS, G380AVS	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXE041	120SDEA041*▲
	35	14						52E	140SPEA041*	140SXE041	140SDEA041*▲
STIHL®											
HT70, HT75, HT100, HT101, 017, 019T, MS190, E140, 023L, MSE140, MSE160, MS170, MS171, MSE180, MS181, MS191T, MS192	30	12	90	0.043	1,1	90SG	6	44E			124MLEA074
	35	14						50E			144MLEA074
009, 010, 011, 018, 019, 019T, 020, 020T, 021, 023, 025, E10, E14, E160, E180, MSE200, MS241, MS200T, MS180, MS191, MS170, MS210, MS211, MS230, MSE140, MS160, MS250, MS180, MS192	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E	120SPEA074	120SXE074	120SDEA074*▲
	35	14						50E	140SPEA074*	140SXE074	140SDEA074*▲
	40	16						55E	160SPEA074*	160SXE074	160SDEA074*▲
MS240, MS260, MS261, E160, E180, 024, 026, 028, 029, 030, 031, 032, 034, 036, 039, MS270, MS271 MS280, MS291, MS290, MS360, MS361, MS390, MS391, MS200	33	13	95	0.050	1,3	95VPX	7	56E	130MPBD025		
	38	15						62E	150MPGD025		
	40	16						67E	160MPGD025		
25, 012, MS230, MS231 MS250, MS251	45	18						74E	180MPGD025		
	40	16	.325	0.063	1,6	22BPX/LPX	7	62E	163SLBA074		
024, 026, 028, 029, 030, 031, 032, 034, 036, 039, MS240, MS260, MS270,								68E	183SLBA074		
	33	13	.325	0.058	1,5	21BPX/LPX	7	56E	138SLBD025		
	33	13	.325	0.063	1,6	22BPX/LPX	7	56E	133SLBD025		
	38	15						62E	153SLGD025	153SFGD025	153RNB025

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.

A - 97

T* = INTENZ



www.oregonchain.eu





	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
STIHL® ./..											
MS280, MS290, MS360, MS361, MS390, MS200, MS36E	40	16					67E	163SLGD025	163SFGD025	163RNBD025	163ATMD025
	45	18					74E	183SLGD025	183SFGD025	183RNBD025	183ATMD025
	50	20					81E	203SLGD025			203ATMD025
029, 031, 032, 034, 036, 038, 039, 041, 042, 044, 045, 046, 048, 056, 064, 066, E15, E20, E220, MS290, MS310, MS311, MS390, MS200, MS220, MS340, MS341, MS360, MS361, MS362 MS361, MS440, MS441, MS460, MS640, MS650, MS660, MS880	33	13	3/8	0.063	1,6	75LGX/LPX/D/DP	7	52E			
	38	15						56E	153SLHD025	153SFHD025	153RNDD025
	40	16						60E	163SLHD025	163SFHD025	163RNDD025
	45	18						66E	183SLHD025	183SFHD025	183RNDD025
	50	20						72E	203SLHD025	203SFHD025	203RNDD025
											203ATMD025
	55	22						77E			223RNDD025
	60	24						84E	243SLHD025		243RNDD025
075, 08, 08S, 050, 051, 075, 076, 084, 088, E30, MS880	70	28						91E			283RNDD025
	90	36						114E			363RNDD025
	35	14	3/8	0.063	1,6	75LGX/LPX/D/DP	7	58E			
	43	17						66E			173RNDE031
	53	21						75E			213RNDE031
	63	25						88E			253RNDE031
	43	17	.404	0.063	1,6	59L/59AC/27/27P	7	60E			173RNFE031
	53	21						68E			213RNFE031
	63	25						80E			253RNFE031
	43	17						60E			173RNFE031
	53	21						68E			213RNFE031
	63	25						80E			253RNFE031
070, 090	75	30						91E			
	90	36						104E			
	43	17	.404	0.063	1,6	59L/59AC/27/27P	7	64E			
	53	21						72E			213ATLE086
	63	25						84E			253ATLE099
	75	30						92E			303ATLE099
STIGA®											
930, 935, 1400	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E			120SDEA218*
	30	12						45E			
	35	14						50E	140SPEA218*		140SDEA218*
940	35	14	.325	0.050	1,3	20BPX/LPX	7	55E			
	35	14						56E			
955	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E			
SE1.6, SE1.8	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E			
	35	14						50E			
	40	16						55E			
	40	16						56E			
SP340	30	12	91	0.050	1,3	91VG/91VX/91P	7	44E			
	35	14						50E			
	40	16						56E			
SP370, SP410	33	13	95	0.050	1,3	95VPX	7	56E			130MLBS165
	40	16						64E			160MLBS165
SP460, SP510	33	13	.325	0.058	1,5	21BPX/LPX	7	56E	138SLBK095	138PXBK095	
	35	14						61E			
	40	16						66E	168SLBK095		



OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



www.oregonchain.eu

T* = INTENZ

A - 98



	cm	"	"	mm				SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
STIGA® ./..												
	45	18						72E	188SLBK095		188RNBK095	
	50	20						78E				
TALON												
AC2108, AC2109, AC2101, AC2105,	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E				120SDEA318*
AC2111,	35	14						49E	140SPEA318*	140SXEA318		140SDEA318*
AC3100	40	16						55E	160SPEA318*	160SXEA318		160SDEA318*
AC3100	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA095			120SDEA095*
	35	14						49E				
	35	14						52E	140SPEA095*			140SDEA095*▲
	40	16						54E				
	40	16						56E	160SPEA095*			160SDEA095*▲
	45	18						60E				
AC3102	40	16	.325	0.050	1,3	20BPX/LPX	7	66E	160SLBK095		180RNBK095	
	45	18						72E	180SLBK095			
	50	20						78E	200SLBK095			
TAS TANAKA®												
290, 300, ECS330,	30	12	91	0.050	1,3	91VG/91VX/91P	6	45E	120SPEA041*	120SXEA041		120SDEA041*▲
ECS3500, ECS360, ECS320,	35	14						52E	140SPEA041*	140SXEA041		140SDEA041*▲
ECS 3301, ECS3351	40	16						57E	160SPEA041*	160SXEA041		160SDEA041*
ECS4000, ECV-4501	28	11	.325	0.058	1,5	21BPX/LPX	7	52E				
	33	13						56E	138SLBK041	138PXBK041		
	35	14						60E				
	38	15						64E	158SLBK041	158PXBK041		
	40	16						66E	168SLGK041	168PXBK041		
	40	16						68E				
	45	18						72E	188SLGK041	188PXBK041		
	50	20						80E				
650, ECS506, 655	33	13	3/8	0.050	1,3	72LGX/LPX/D/DP	7	52E				
	40	16						60E	160SLHD176		160RNDD176	
	45	18						64E	180SLHD176			
	45	18						66E			180RNDD176	
	50	20						70E	200SLHD176		200RNDD176	
TAIGA												
All Models	43	17	3/8	.063	1,6	75LGX/LPX/D/DP		64E				
	43	17	3/8	.058	1,5	73LGX/LPX/D/DP		64E	178SLHD010			
TOPSO												
E500AV, E510AVB,	33	13	3/8	0.058	1,5	73LGX/LPX/D/DP	7	52E				
E600AV, E601AV,	38	15						56E				
E610AVB, E611AVB,	40	16						60E	168SLDD024			
E700AV, E710AVB	45	18						68E	188SLHD024	188SFHD024	188ATMD024	
	50	20						72E	208SLHD024	208SFHD024	208RNDD024	208ATMD024
URAL												
All models	50	20	.404	0.063	1,6	59L/59AC/27/27P	7	64E	203SLFM015		203RNF015	
VAP												
1400, 35F, 38, 40F,	30	12	91	0.050	1,3	91VG/91VX/91P	6	44E				
44F, 52F, 530, 534,	35	14						49E				140SDEA111
535, 538, 60F,	40	16						56E				160SDEA129
14F, 542, 68F	28	11	.325	0.058	1,5	21BPX/LPX	7	52E	118SLBK095			
	33	13						56E	138SLBK095	138PXBK095	138RNBK095	
	35	14						60E				

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.

A - 99

T* = INTENZ



www.oregonchain.eu





	cm	"	"	mm				SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
VAP ./..												
	38	15						64E	158SLGK095		158RNBK095	
	40	16						66E	168SLGK095	168PXBK095	168RNBK095	
	40	16						68E	34372			
	45	18						72E	188SLGK095	188PXBK095	188RNBK095	
	50	20						78E	208SLGK095		208RNBK095	
49, 50E, 549, 55, 553, 553S, 555, 570, 65F, 69E, 70, 72F, 72FS, 82F, 90F	40	16	3/8	0.058	1,5	73LGX/LPX/D/DP	7	60E	168SLHD024	168SFHD024		
	45	18						68E	188SLHD024	188SFHD024		188ATMD024
	50	20						72E	208SLHD024	208SFHD024	208RND024	208ATMD024
	58	23						80E				
	63	25						88E				
	75	30						98E				308ATMD024
	40	16	.404	0.058	1,5	58L/26	7	55E				
	45	18						62E				188ATMD024
	50	20						66E				208ATMD024
	58	23						73E				
WEN®												
All Models	30	12	91	0.050	1,3	91VGX/91VX	6	47E				
	35	14						53E				
ZENOAH®												
G2500PS G2000T	30	12	1/4	0.050	1,3	25AP	9	66E				120SDAA041
GT250-10, GT310-12, GT310-14, G2500T, G3200T, GZ3500T	25	10	91	0.050	1,3	91VG/91VX/91P	6	40E				100SDEA041
G300T, G310TS, G320 AVS,	30	12						45E	120SPEA041*	120SXEA041		120SDEA041*⚠
	35	14						52E	140SPEA041*	140SXEA041		140SDEA041*⚠
G3800AVS-14, G3800AVS-16, G250TS, G3100, G3200, G3800, G3300,	40	16						56E	160SPEA041*	160SXEA041		160SDEA041*⚠
	40	16						58E				
G380AVS	30	12	.325	0.058	1,5	21BPX/LPX	7	54E				
	33	13						56E	138SLBK041	138PXBK041		
	35	14						60E				
	38	15						64E	158SLBK041	158PXBK041		
	40	16						66E	168SLGK041	168PXBK041		
G415AVS-16, GZ4000, GZ4500	33	13	95	0.050	1,3	95VPX	7	56E				130MLBK041
	38	15						64E				150MLBK041
	45	18						72E				180MLBK041
G410AVS, G455AVS, G500AVS, G38, G46, G5000, G5300 G415AVS, G455AVS, G500AVS	33	13	.325	0.058	1,5	21BPX/LPX	7	56E	138SLBK095	138PXBK095		
	35	14						60E				
	38	15						64E	158SLBK095	158PXBK095	158RNBK095	
	38	15						64E	158SLGK095		158RNBK095	
	40	16						66E	168SLGK095	168PXBK095	168RNBK095	
	45	18						72E	188SLGK095	188PXBK095	188RNBK095	
	50	20						81E				
	50	20						78E	208SLGK095		208RNBK095	
G561AVS, G621AVS	40	16	.325	0.058	1,5	21BPX/LPX	7	66E				
	45	18						72E	188SLGD176			
	50	20						81E				
G621AVS, G6200, G7700	33	13	3/8	0.058	1,5	73LGX/LPX/D/DP	7	52E				
	40	16						60E				
	45	18						64E	188SLHD176			
	50	20						70E	208SLHD176			
	50	20						72E			8873D	



OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



www.oregonchain.eu

T* = INTENZ

A - 100